View NSN Online: https://aerobasegroup.com/nsn/3439-00-262-2661

TECHALLOY MARYLAND INC., REID-AVERY DIV. -- MIL 6013 -- 3439-00-262-2661

Product ID:MIL 6013 MSDS Date:11/01/1985 FSC:3439 NIIN:00-262-2661 **MSDS Number: BDPWX** === Responsible Party === Company Name: TECHALLOY MARYLAND INC., REID-AVERY DIV. Address:2310 CHESAPEAKE AVE. City:BALTIMORE State:MD ZIP:21222-4012 Emergency Phone Num:301-633-9300 CAGE:59711 === Contractor Identification === Company Name: TECHALLOY COMPANY, INC. Address:2310 CHESAPEAKE AVENUE Box:City:BALTIMORE State:MD ZIP:21222 Country:US Phone:410-633-9300; 800-638-1458 CAGE:59711 Ingred Name:IRON CAS:7439-89-6 RTECS #:NO4565500

Ingred Name:MANGANESE (SARA III) CAS:7439-96-5 RTECS #:OO9275000 OSHA PEL:(C) 5 MG/M3 DUST ACGIH TLV:5 MG/M3 DUST 9293

Ingred Name:SILICON CAS:7440-21-3 RTECS #:VW0400000 OSHA PEL:15 MG/M3 TDUST AC GIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:TITANIUM DIOXIDE CAS:13463-67-7 RTECS #:XR2275000 OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:CELLULOSE (PAPER FIBER) CAS:9004-34-6 RTECS #:FJ5691460 OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3; 9192

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE) CAS:1317-65-3 RTECS #:EV9580000 OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:SILICA, AMORPHOUS, DUST CAS:112945-52-5 RTECS #:VV7310000 OSHA PEL:6 MG/M3 ACGIH TL V:10 MG/M3; 8990

Ingred Name:POTASSIUM TITANATE CAS:12030-97-6

Ingred Name:SODIUM TITANATE CAS:12034-34-3

Ingred Name:FELDSPAR CAS:68476-25-5

Ingred Name:IRON OXIDE CAS:1309-38-2 RTECS #:OM4800000

Ingred Name:GRAPHITE, NATURAL CAS:7782-42-5 RTECS #:MD9659600 OSHA PEL:15 MPPCF RDUST ACGIH TLV:2 MG/M3 RDUST; 9293

Ingred Name:ALPHA-ALUMINA (ALUMINUM OXIDE) (EPA LISTS ONLY FIBROUS FORMS) (SARA III) CAS:1344-28-1 RTECS #:BD1200000 OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9293 gred Name:POTASSIUM SILICATE CAS:1312-76-1

Ingred Name:SODIUM SILICATE CAS:1344-09-8

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:MAY RESULT IN DISCOMFORT SUCH AS DIZZINESS,NAUSEA,DRYNESS OR IRRITATION OF NOSE,THROAT OR EYES,TIGHTNESS IN CHEST,FEVER & ALLERGIC REACTIONS. CHRONIC:MAY LEAD TO SIDEROSIS & IS BELIEVE
D BY SOME INVESTIGATION TO AFFECT PULMONARY FUNCTIONS.
Effects of Overexposure:SEE "HEALTH HAZARDS".
======================================
First Aid:REMOVE TO FRESH AIR,IR BREATHING IS DIFFICULT,ADMINISTER OXYGEN,IF BREATHING HAS STOPPED,APPLY ARTIFICIAL RESPIRATION; GET MEDICAL HELP.
======================================
Extinguishing Media:USE PROPER MEDIA FOR SURROUNDING FIRE. Fire Fighting Procedures:NEED TO WEAR PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:WELDING ARC & SPARKS CAN IGNITE
COMBUSTIBLES.
======================================
Spill Release Procedures:SWEEP UP OR SCOOP UP.
======================================
Handling and Storage Precautions: USE EXHAUST SYSTEM TO CLEAR WELDING FUMES.
======== Exposure Controls/Personal Protection ====================================
Respiratory Protection: USE RESPIRABLE FUME RESPIRATORY OR AIR

SUPPLIED RESPIRATOR WHEN WELDING IN A CONFINED SPACE OR WHERE LOCAL EXHAUST OR VENTILATION DOES NOT KEEP EXPOSURE BELOW TLV. Ventilation:USE ADEQUATE GENERAL VENTILATION & LOCAL EXHAUST AT THE ARC. Protective Gloves:WELDER'S GLOVES.

Eye Protection:HELMET/FACE SHIELD WITH FILTER LENS. Other Protective Equipment:WEAR PROTECTIVE CLOTHING. Supplemental Safety and Health

HCC:N1 Solubility in Water:INSOLUBLE Appearance and Odor:SOLID WIRE OR ROD. Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE STATED Hazardous Decomposition Products:IT IS COMPLEX & CAN NOT BE CLASSIFIED EASILY,DEPENDING ON THE ELECTRODE USED,COATING & CONTAMINANTS IN THE ATMOSPHERE.

Waste Disposal Methods:DISCARD ANY PRODUCT RESIDUE,D ISPOSABLE CONTAINER OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER.

OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsi bility for the suitability of this information to their particular situation.