

HOBART BROTHERS COMPANY -- HOBART 10 AWS A5.1 CLASS E6010 -- 3439-00-262-2669

=====
Product Identification
=====

Product ID:HOBART 10 AWS A5.1 CLASS E6010

MSDS Date:01/01/1987

FSC:3439

NIIN:00-262-2669

MSDS Number: BDPWZ

=== Responsible Party ===

Company Name:HOBART BROTHERS COMPANY

Address:600 W. MAIN STREET

City:TROY

State:OH

ZIP:45373

Info Phone Num:513-339-6000

Emergency Phone Num:513-339-600

0

CAGE:28835

=== Contractor Identification ===

Company Name:HOBART BROTHERS CO

Address:600 W MAIN ST HOBART SQUARE

Box:City:TROY

State:OH

ZIP:45373

Country:US

Phone:513-339-6000

CAGE:28835

=====
Composition/Information on Ingredients
=====

Ingred Name:FERRO MANGANESE

CAS:12604-53-4

RTECS #:OO9286520

Fraction by Wt: 6%

Other REC Limits:NONE

OSHA PEL:1MG/M*3(MN FUMES)

ACGIH TLV:1MG/M*3(MN FUMES)

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 30%

Other REC Limits:NONE
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:SODIUM SILICATE
CAS:6834-92-0
RTECS #:VV9275000
Fraction by Wt: 45%
Other REC Limits:NONE
OSHA PEL:80MG/M*3(AMORPHOUS)
ACGIH TLV:10MG/M*3(AMORPHOUS)

Ingred Name:ASBESTOS
Fraction by Wt: 6%
Other REC Limits:NONE
OSHA PEL:2FIB/CC
ACGIH TLV:2FIB/CC

Ingred Name:CELLULOSE (PAPER FIBER)
CAS:9004-34-6
RTECS #:FJ5691460
Fraction by Wt: 35%
Other REC Limits:NONE
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3; 9192

In
gred Name:MISCELLANEOUS OXIDES
Fraction by Wt: 6%
Other REC Limits:15MG/M*3

Ingred Name:IRON (CORE WIRE INGREDIENTS)
CAS:7439-89-6
RTECS #:NO4565500
Fraction by Wt: 99.5%
Other REC Limits:NONE
OSHA PEL:10MG/M*3(DUST,FUME)
ACGIH TLV:5MG/M*3(DUST,FUME)

Ingred Name:MANGANESE (SARA III)
CAS:7439-96-5
RTECS #:OO9275000
Fraction by Wt: 0.5%
Other REC Limits:NONE
OSHA PEL:(C) 5 MG/M3 DUST
ACGIH TLV:5 MG/M3 DUST 9293

=====
===== Hazards Identification =====

Reports of Ca

rcinogenicity:NTP:YES IARC:YES OSHA:YES

Explanation of Carcinogenicity:ASBESTOS IS A HUMAN CARCINOGEN.

Effects of Overexposure:FUMES INHALATION:FAINTNESS,POSSIBLE NAUSEA

=====
===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR, CALL A PHYSICIAN.

=====
===== Handling and Storage =====

Other Precautions:ARC & SPARKS COULD BE SOURCE OF IGNITION OF
COMBUSTIBLE PRODUCTS.

=====
===== Exposure Controls/Pe
rsonal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH
EXPOSURE OF CONCERN

Ventilation:LOCAL/MECHANICAL

Protective Gloves:WELDERS PROTECT

Eye Protection:COLOR ADSOPP NO 9 TO 12

Other Protective Equipment:PROTECTIVE CLOTHING,LEATHER APRON

Supplemental Safety and Health

ADD INGRED: MISCELLANEOUS OXIDES 6% TLV: 15 MG/GUM(MFR). CORE WIRE
INGRED INCLUDE IRON 99.5% TLV:5 MG/CUM;MANGANESE 0.5% TLV: C,5
MG/CUM DUST OR 1 MG/CUM FUMES.

=====
===== Physical/Chemical Properties =====

HCC:N1

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its u

se. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.