View NSN Online: https://aerobasegroup.com/nsn/8040-00-262-9060 NORTECH ADHESIVE CORP -- NORTECH 5117 -- 8040-00-262-9060 ============= Product Identification ======================== Product ID:NORTECH 5117 MSDS Date:01/01/1987 FSC:8040 NIIN:00-262-9060 MSDS Number: BDQFS === Responsible Party === Company Name: NORTECH ADHESIVE CORP Address:39 AVENUE C Box:8 City:BAYONNE State:NJ ZIP:07002-3417 Country:US CAGE:0GD30 === Contractor Identification === Company Name: NORTECH ADHESIVE CORP ddress:136 HALLADAY STREET Box:5256 City: JERSEY CITY State:NJ ZIP:07305 Country:US Phone:201-433-3766 CAGE:0GD30 Company Name: STEVEN INDUSTRIES Address:39 AVENUE C Box:8 City:BAYONNE State:NJ ZIP:07002-3417 Country:US Phone:201-437-6501 CAGE:33150 ======= Composition/Information on Ingredients ======== Ingred Name:SOLVENTS Fraction by Wt: 73.0% **ACGIH TLV:100 PPM** Ingred Name:POLYMER Fraction by Wt: 27.0% **ACGIH TLV:NA**

Effects of Overexposure:CAN CAUSE IRRITATION TO EYES, SKIN, RESPIRATORY TRACT.
======================================
First Aid:SKIN: WASH WITH SOAP AND WATER. EYES: WASH WITH WATER-CALL A PHYSICIAN. EXCESSIVE INHALATION-REMOVE TO FRESH AIR; ADMINISTER OXYGEN, IF NECESSARY.
======================================
Flash Point:30F, -1.1C TCC Lower Limits:1.8 Upper Limits:1.5 Extinguishing Media:FOG, FOAM, DRY CHEMICA LS OR CC*2
Fire Fighting Procedures:HANDLE AS VERY FLAMMABLE LIQUID.
======================================
Spill Release Procedures:USE ABSORBENT CLEANING SOLVENT.
======================================
Handling and Storage Precautions:AVOID OPEN FLAMES AND SPARKS. PROVIDE ADEQUATE VENTILATION. AVOID EXCESSIVE HEAT. Other Precautions:NA
======= Exposure Controls/Personal Protection ========
Respiratory Protection:R ESPIRATOR APPROVED FOR ORGANIC SOLVENTS Ventilation:LOCAL-AS REQUIRED Protective Gloves:RUBBER;ETHYLENE Eye Protection:GOGGLES Other Protective Equipment:NA Supplemental Safety and Health
========== Physical/Chemical Properties ===========
HCC:F2 Boiling Pt:B.P. Text:132F; 56C Vapor Pres:186 Spec Gravity:0.70 Evaporation Rate & DSC Solubility in Water:INSOLUBLE Appearance and Odor:BLACK-COLORED LIQUID
========= Stability and Reactivity Data ====

=========

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:HEAT, SPARKS AND OPEN FLAMES.

======= Disposal Considerations ==========

Waste Disposal Methods:FOLLOW FEDERAL AND LOCAL APPROVED ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or

implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.