BETHLEHEM STEEL CORP AMMONIUM SULFATE 6810-00-264-6546
Product ID:AMMONIUM SULFATE MSDS Date:01/01/1987 FSC:6810 NIIN:00-264-6546 MSDS Number: BDQNK === Responsible Party === Company Name:BETHLEHEM STEEL CORP Emergency Phone Num:215-694-5105 CAGE:80406 === Contractor Identification === Company Name:BETHLEHEM STEEL CORP Address:701 E 3RD ST Box:City:BETHLEHEM State:PA ZIP:18015 Country:US Phone:215-694-2424 CAGE:80406
= ======== Composition/Information on Ingredients ==========
Ingred Name:AMMONIUM SULFATE (SOLUTION) (SARA III) CAS:7783-20-2 RTECS #:BS4500000 Fraction by Wt: 99.8%
Ingred Name:H*2O (CAS# 7732-18-5) CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 0.1%
Ingred Name:TRACE ELEMENTS Fraction by Wt: 0.1%
======================================

Effects of Overexposure:EYE/SKIN:DUST IRRIT.INHAL:DUST POSS RESP TRACT IRRIT,BRONCHOCONSTRICTION.INGEST: (SEE SUP

P DATA)
======================================
First Aid:EYE:FLUSH THOROUGHLY W/LARGE AMOUNTS OF H*20 FOR @ LEAST 15 MIN. SKIN:FLUSH EXPOSED AREAS W/LARGE AMOUNTS OF H*20. INHAL:REMOVE FROM EXCESSIVE DUST EXPOSURE LEVELS. INGEST:CONTACT POISON CONTROL CENTE R/SEEK MEDICAL ATTENTION PROMPTLY.
========= Accidental Release Measures ==========
Spill Release Procedures:MATERIAL SHOULD BE SWEPT OR VACUUMED INTO APPROPRIATE CONTAINERS
============= Handling and Storage ==============
Handling and Storage Precautions:PROTECT CONTAINERS AGAINST PHYSICAL DAMAGE.
Other Precautions:IN ANIMAL STUDY, CHEM DUST IRRIT ARTF-INDUCED EMPHYSEMA, ENLARGED ALVEOLI, ALVEOLAR DUCTS, SACS. IN VITRO STUDY-SYNERGISM BETWEEN OXIDANT AIR POLLUTANTS, OZONE, NO*2 & AMMONIUM SULFATE AEROSOL (MFR).
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MSHA APPROVED DUST & MIST RESPIRATOR. Ventilation:SUFFICIENT VENT TO KEEP DUST LEVELS < EXPOSURE LIMIT. Protective Gloves:RECOMMENDED Eye Protection:SAFETY GLASSES/GOGGLES Other Protective Equipment:PROTECTIVE CLOTHING RECOMMENDED IN DUSTY ATMOSPHERES. Supplemental Safety and Health OVEREXP:MODERATELY TOXIC;LGE AMT POSS DIURESIS,SYSTEMIC AMMONIA POISONING;DIGESTIVE TRACT SURFACE LINING IRRIT. OTHER MFR PHONE #:215-694-7066. CONTAINER: 1 LB BOTTLE. DATE OF PREP:11-85.
========== Physical/Chemical Pr operties ====================================
HCC:N1 Spec Gravity:1.77 Solubility in Water:APPRECIABLE Appearance and Odor:WHITISH CRYSTALLINE MATERIAL NO ODOR.
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:AMMONIA,SULFUR OXIDES,SULFURIC ACID & OTHER POSSIBLE GASES.
======== Disposal Considerations ===========
Mosts Disposal Matheday DEDMITTED LIAZADDOLIC MACTE LANDELL OD OTHED

Waste Disposal Methods:PERMITTED HAZARDOUS WASTE LANDFILL OR OTHER METH

ODS IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS. WASTE MAY BE RECLAIMED OR SALVAGED FOR FURTHER USE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.