View NSN Online: https://aerobasegroup.com/nsn/6850-00-264-6573

Product ID: FILTROL CLAY PRODUCTS-DESICCANT, GRADE 25 MSDS Date:01/01/1985 FSC:6850 NIIN:00-264-6573 **MSDS Number: BDQQH** === Responsible Party === Company Name: FILTROL CORPORATION Emergency Phone Num:601-948-3966 CAGE:KO991 === Contractor Identification === Company Name: FILTROL CORP SALES OFFICE Address:5959 W CENTURY BLVD Box:City:LOS ANGELES State:CA ZIP:90045-6501 Country:US CAGE:7K183 Company Name: FILTROL CORPORATION CAGE:KO991

Ingred Name:ALUMINUM SILICATE (AS NUISANCE DUST OR PARTICULATES NOT OTHERWISE REGULATED) CAS:1302-76-7 RTECS #:BD1450000 Fraction by Wt: >95% OSHA PEL:15 MG/M3 TOTAL DUST ACGIH TLV:10 MG/M3 TDUST;8990

======================================
Effects of Overexposure: MAY CAUSE IRRITATION TO RESPIRATORY SYSTEM
======================================
First Aid:INHALATION-REMOVE TO FRESH AIR
======================================
Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures: STOP FLOW. AVOID INHALATION. WEAR RESPIRATORY PROTECTION. VACUUM UP SPILL.

================== Handling and Stor

Handling and Storage Precautions: AVOID MATERIAL HANDLING METHODS THAT CREATE DUST.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection:PARTICLE-REMOVING AIR PURIFYING RESPIRATOR (MECHANICAL FILTER) Ventilation:LOCAL EXHAUST & GENERAL VENTILATION IS ACCEPT. FOR NORM.USE Protective Gloves:RUBBER Eye Protection:SAFETY GLASSES Other Protective Equipment:FACE SHIELD Supplemental Safety and Health ITEM IS TYPE I OF MIL-D-346 4D & HAS APPARENT BULK DENSITY(G.CC):0.78;PER MFR,FORMULA IS:5-9 SIO*2 AL*2O*3 O4FE*2O*3.0.5-0.7 NAO.0.02-0.4 CAO;MFR ALSO CALLS BEIDELLITE ACTIVATED CLAY.

HCC:N1

Vapor Pres:0.0 Evaporation Rate & amp; Reference:0.0 Solubility in Water:NEGLIGIBLE Appearance and Odor:CREAM COLORED POWDER-ODORLESS

Stability Indicator/Materials to Avoid:YES Hazardou s Decomposition Products:NONE

Waste Disposal Methods: DUMP IN AN APPROVED LANDFILL

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this doc ument should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.