View NSN Online: https://aerobasegroup.com/nsn/6810-00-264-8955 PHIPPS PRODUCTS CORP -- O-C-265 -- 6810-00-264-8955 Product ID:O-C-265 MSDS Date:01/01/1985 FSC:6810 NIIN:00-264-8955 MSDS Number: BDQXV === Responsible Party === Company Name: PHIPPS PRODUCTS CORP Address: 186 LINCOLN ST SUITE 502 City:BOSTON State:MA ZIP:02111-2403 Country:US CAGE:86511 === Contractor Identification === Company Name: PHIPPS PRODUCTS CORP Address: 186 LINCOLN ST SUITE 502 Box:City:BOSTON State:MA ZIP:02111-2403 Country:US Phone: OUT OF BUSINESS CAGE:86511 ======= Composition/Information on Ingredients ======== Ingred Name: ACETONE (SARA III) CAS:67-64-1 RTECS #:AL3150000 Fraction by Wt: 99.9% OSHA PEL:1000PPM ACGIH TLV:750PPM/1000STEL;9293 EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

========== Hazards Identification ===========================

Effects of Overexposure: CONJUNCTIVITIS, CORNEAL EROSION, HEADACHE, WEAKNES

| ======================================   |
|--|
| First Aid:REMOVE TO FRESH AIR-FOR SKIN CONTACT FLUSH WITH WATER.FOR EYE CONTACT FLUSH WITH WATER FOR 15 MIN.   |
| ========== Fire Fighting Measures ===========  |
| Flash Point:4F TOC Lower Limits:2.6 Upper Limits:12.8 Extinguishing Media:CARBON DIOXIDE,DRY CHEMICALS,ALCOHOL FOAM Fire Fighting Procedures:DILUTE WITH WATER-WILL EFFECT EXTINGUISHMENT Unusual Fire/Explosion Hazard:NONE                                   |
| ======== Accidental Release Measures =========   |
| Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. FLUSH HEAVILY WITH WATER.  |
| =========== Handling and Storage ============  |
| Handling and Storage Precautions:STORE IN A COOL,DRY AREA AWAY FROM FOODS,EXPLOSIVES,TOXICANTS,RADIOACTIVE MATERIALS,OXIDIZABLE MATERIALS,& ORGANIC PEROXIDES IN THE SAME SPACE.  Other Precautions:KEEP AWAY FROM PLASTIC EYEGLASS                            |
| FRA MES,JEWELRY,PENS,PENCILS,RAYON STOCKINGS & OTHER RAYON GARMENTS.AVOID CONTACT WITH SKIN & REPEATED BREATHING OF VAPORS OR PROLONGED BREATHING OF VAPORS.   |
| ====== Exposure Controls/Personal Protection =======   |
| Respiratory Protection:FULL FACE MASK WITH ORGANIC CHEMICAL CANISTER,OR SUPPLIED AIR Ventilation:LOCAL-PREFERRED,GENERAL-ACCEPTABLE Protective Gloves:RUBBER OR VINYL Eye Protection:FACE SHIELD Supplemental Safety and Health DO NOT USE COPPER WITH ACETONE |
| =======  |

S,GASTRITIS.NAUSEA,VOMITING,LETHARGY,PARALY SIS

| ====== Physical/Chemical Properties ========   |
|--|
| HCC:F2 Boiling Pt:B.P. Text:133F Vapor Pres:186 Vapor Density:2.0 Spec Gravity:0.7905 Evaporation Rate & Description of the Computer of the Co |
| ========= Stability and Reactivity Data =========  |
| Stability Indicator/Materials to Avoid:YES CATALYSTS,BA(OH)*2,NAOH,SULFURIC ACID,EXPLOSIVES,TOXICANTS. Stability Condition to Avoid:SOURCES OF IGNITION,LOW TEMPERATURES Hazardous Decomposition Products:NONE Conditions to Avoid Polymerization:LOW TEMPERATURES IN PRESENCE OF CATALYSTS.   |
| ======= Disposal Considerations ==========   |
| Waste Disposal Methods:ATOMIZE INTO AN INCINERATOR UNDER CONTROLLED CONDITIONS.INCINERATION WILL BECOME EASIER BY MIXING WITH A MORE FLAMMABLE SOLVENT   |
| Disclaimer (provided with this information by the compiling agencies): This information is formulated fo r use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this   |

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.