View NSN Online: https://aerobasegroup.com/nsn/9150-00-270-4057 AMERICAN OIL AND SUPPLY CO -- MIL-L-7808J; LUBRICATING OIL -- 9150-00-270-4057 Product ID:MIL-L-7808J;LUBRICATING OIL MSDS Date:01/01/1987 FSC:9150 NIIN:00-270-4057 MSDS Number: BDRQW === Responsible Party === Company Name: AMERICAN OIL AND SUPPLY CO Address:239 WILSON AVE City:NEWARK State:NJ ZIP:07105-3824 Country:US Info Phone Num:201-589-0250 **Emergency Phone N** um:201-589-0250 CAGE:92895 === Contractor Identification === Company Name: AMERICAN OIL AND SUPPLY CO Address:239 WILSON AVE City:NEWARK State:NJ ZIP:07105-3824 Country:US Phone:201-589-0250 CAGE:92895 ======= Composition/Information on Ingredients ======== Ingred Name: ALIPHATIC DIESTER BASE, LUBRICATING OIL

OSHA PEL:5 MG/M3 (OIL MIST) ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name: ADDITIVES

======== Hazards Identification ==================

Routes of Entry: Inhalati

on:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MILD EYE AND SKIN IRRITATION. Explanation of Carcinogenicity:NOT LISTED. Effects of Overexposure:EYES: MILD IRRITATION, REDNESS. SKIN:MILD IRRITATION. INHALATION: NASAL IRRITATION, HEADACHE, POSSIBLE UNCONSCIOUSNESS. INGESTION: NAUSEA, VOMITING, DIARRHEA, GASTROINTESTINAL IRRITATION. Medical Cond Aggravated by Exposure:SKIN DISORDERS.
======================================
easures ====================================
First Aid:SKIN: WASH EXPOSED AREA WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING. LAUNDER PRIOR TO REUSE. EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. CALL A PHYSICIAN. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. INHALATION: REMOVE INDIVIDUAL TO FRESH AIR. CONTACT A PHYSICIAN.
======================================
Flash Point Method:COC Flash P oint:400F,204C Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF. Unusual Fire/Explosion Hazard:DO NOT USE DIRECT STREAM OF WATER; MATERIAL MAY FLOAT AND REIGNITE.
======== Accidental Release Measures =========
Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. PROVIDE ADEQUATE VENTILATION. RECOVER FREE LIQUID. ADD ABSORBENT TO SPILL AREA. COLLECT ABSORBENT. KEEP PRODUCT OUT OF WATERWAYS. Neutralizing Agent:NONE
=========== Handling and Storage ============
Handling and Storage Precautions:NONE Other Precautions:NONE
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NONE NORMALLY REQUIRED. USE NIOSH/MSHA APPROVED RESPIRATOR FOR OIL MISTS IF REQUIRED. Ventilatio

n:MECHANICAL (GENERAL) EXHAUST FAN RECOMMENDED. Protective Gloves: NEOPRENE RECOMMENDED. Eye Protection: SAFETY GLASSES, SPLASH SHIELD. Other Protective Equipment: IMPERVIOUS CLOTHING & BOOTS AS APPLICABLE. ADEQUATE VENTILATION MUST BE PROVIDED. Work Hygienic Practices: MINIMIZE SKIN CONTACT. WASH WITH SOAP & WATER PRIOR TO EATING, DRINKING, SMOKING OR USING SANITARY FACILITIES. Supplemental Safety and Health EMPTY CONTAINERS OF THIS PRODUCT CAN BE HAZARDOUS DUE TO THE RETENTION OF RESI DUES & VAPORS. ALL CHEMICAL PRODUCTS SHOULD BE HANDLED AS TO PREVENT CONSTANT OR REPEATED CONTACT. APPROPRIATE EYE, SKIN & BREATHING PROTECTION SHOULD BE EMPLOYED AT ALL TIMES. INHALATION OF VAPORS SHOULD BE AVOIDED. ======== Physical/Chemical Properties =========== HCC:V6 Boiling Pt:B.P. Text:>450F,>232C Vapor Pres:10 Spec Gravity:0.920 Evaporation Rate & Deference: N/R (NIL) Solubility in Water: NEGLIGIBLE Appearance and Odor: CLEAR, STRAW COLORED LIQUID. MIL D ODOR. Percent Volatiles by Volume:NIL ======== Stability and Reactivity Data =========== STRONG OXIDANTS LIKE CHLORINE & OXYGEN, STRONG ACIDS OR ALKALIES. OF IGNITION Hazardous Decomposition Products: CARBON MONOXIDE IN THE CASE OF INCOMPLETE COMBUSTION. ======= Disposal Considerations =============================

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES AND OTHER SOURCES

Waste Disposal Methods: INCINERATE

ABSORBED MATERIAL OR DISPOSE OF IN

ACCORDANCE WITH YOUR LOCAL, STATE AND FEDERAL REGULATIONS GOVERNING YOUR OPERATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever. expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek compete

nt professional advice to verify and assume responsibility for the suitability of this information to their particular situation.