

KOLOR KUT PRODUCTS CO. -- KOLOR KUT GASOLINE GUAGING PASTE -- 6850-00-270-5526
===== Product Identification =====

Product ID:KOLOR KUT GASOLINE GUAGING PASTE

MSDS Date:04/13/1992

FSC:6850

NIIN:00-270-5526

MSDS Number: BDRRF

=== Responsible Party ===

Company Name:KOLOR KUT PRODUCTS CO.

Address:7915 E ELM STREET

Box:5415

City:HOUSTON

State:TX

ZIP:77012

Country:US

Info Phone Num:713-926-4780

Emergen

cy Phone Num:713-926-4780/713-485-3181

CAGE:11730

=== Contractor Identification ===

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

CAGE:66172

Company Name:KOLOR KUT PRODUCTS CO

Address:7915 E ELM

Box:5415

City:HOUSTON

State:TX

ZIP:77262

Country:US

Phone:713-926-4780

CAGE:11730

Company Name:SANCHEZ & ASSOCIATES

Address:476 WEST FOGG STREET

Box:1649

City:COLTON (MAY BE OUT OF BUSINESS !)

State:CA

ZIP:92324

Country:US
Phone:714-370-3921/FAX824-0341 ALL WRONG#
CAGE:0HF19

=====
Composition/Information on Ingredients
=====

Ingred Name:GASOLINE GUAGING PASTE

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ALL INGREDIENTS NON-HAZARDOUS.
Effects of Overexposure:NONE KNOWN.
Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
First Aid Measures
=====

First Aid:STANDARD FIRST AID PROCEDURES.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Extinguishing Media:NON-FLAMMABLE. USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE.
Fire Fighting Procedures:USE FIREFIGHTING PROTECTIVE CLOTHING AND EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING CHEMICAL FIRES.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
Accidental Release Measures
=====

Spill Release Procedures:WIPE UP AND PLACE IN APPROPRIATE DISPOSAL CONTAINER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE ABOVE 50F AND BELOW 100F FOR PRESERVATION OF PRODUCT.
Other Precautions:NONE KNOWN.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE SHOULD BE NEEDED.
Ventilation:NORMAL ROOM VENTI

LATION..

Protective Gloves:AS REQUIRED.

Eye Protection:AS REQUIRED.

Other Protective Equipment:NONE REQUIRED.

Work Hygienic Practices:WASH HANDS AFTER APPLYING.

Supplemental Safety and Health

NONE.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:120F,49C

Spec Gravity:1.0

Evaporation Rate & Reference:NONE

Solubility in Water:APPRECIABLE

Appearance and Odor:LIGHT PINK SEMISOLID.

Percent Volatiles by Volume

:0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE AS A NON-HAZARODOUS WASTE. FOLLOW LOCAL,
STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of

the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.