

BF GOODRICH ADHESIVE SYSTEMS -- A-1216-B-1, 2779480 -- 8040-00-270-8136

=====  
Product Identification  
=====

Product ID:A-1216-B-1, 2779480

MSDS Date:01/01/1987

FSC:8040

NIIN:00-270-8136

MSDS Number: BDRSL

=== Responsible Party ===

Company Name:BF GOODRICH ADHESIVE SYSTEMS

Address:500 S. MAIN ST. BLDG 513

City:AKRON

State:OH

ZIP:44318

Info Phone Num:(216) 374-3422

Emergency Phone Num:(216) 374-3422

CAGE:BFGAD

=== Contractor Identification ===

Company Name:BF GOODRICH ADHESIVE SYSTEMS

Address:123 WEST BARTGES ST. D/1932/1904

City:AKRON

State:OH

ZIP:44311

Country:US

Phone:216-374-2824(CLIFF PEARSON)

CAGE:BFGAD

Company Name:BF GOODRICH CO

Address:3925 EMBASSY PKY

Box:5471

City:AKRON

State:OH

ZIP:44313-0471

Country:US

Phone:216-374-3985

CAGE:25472

=====  
Composition/Information on Ingredients  
=====

Ingred Name:2,2-BIS(4-(2,3-EPOXYPROPYLOXY)PHENYL)PROPANE, BISPHENOL A  
DI

GLYCIDYL ETHER, EPON 828, EPOXIDE A

CAS:1675-54-3

RTECS #:TX3800000

Fraction by Wt: 50%

=====  
===== Hazards Identification =====  
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES/SKIN: MINOR IRRITATION. SKIN: MAY DEVELOPE ALLERIC REACTION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES/SKIN: MINOR IRRITATION. SKIN: MAY DEVELOPE ALLERGIC REACTION.

INHALATION: NONE LIKELY UNLESS HEATED TO HIGH TEMPERATURE.

Medical Cond Aggravated by Exposure:SKIN ALLERGIES

=====  
===== First Aid Measures =====  
=====

First Aid:EYES: FLUSH WITH WATER. SEE A PHYSICIAN IF IRRITATION DEVELOPS. SKIN: WASH WITH SOAP & WATER. REMOVE AND WASH CONTAMINATED CLOTHING. SEE A PHYSICIAN IF IRRITATION DEVELOPS.

INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====  
=====

Flash Point:480F

Extinguishing Media:WATER, CO2, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:DO NOT ENTER CONFINED FIRE SPACE W/PROPER PROTECTIVE EQUIPMENT INCLUDING NIOSH APPROVED SCBA.

Unusual Fire/Explosion Hazard:TOXIC FUMES POSSIBLE.

=====  
===== Accidental Release Measures =====  
=====

Spill Release Procedures:AVOID EYE AND SKIN CONTACT. ABSORB WITH INERT ABSORBANT, AND DISCARD.

=====  
===== Handling and Storage =====  
=====

Handling

and Storage Precautions:AVOID EYE & SKIN CONTACT. KEEP OUT OF THE REACH OF CHILDREN. STORE IN A COOL DRY PLACE AWAY FROM HEAT. Other Precautions:EMPTY CONTAINERS MAY HAZARDOUS & ALL PRECAUTIONS CITED SHOULD BE OBSERVED.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE USUALLY NECESSARY UNDER MOST INDUSTRIAL OPERATING CONDITIONS.

Ventilation:GOOD GENERAL VENTILATION USUALLY ADEQUATE.

Protective Gloves:IMPERVIOUS

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:CLEAN LONG SLEEVES LONG LEG CLOTHING.

Supplemental Safety and Health

WGT PER GALLON:13.52 LBS.KEY1:N1.

=====  
===== Physical/Chemical Properties =====

HCC:N1

Vapor Density:>AIR

Spec Gravity:>1

Appearance and Odor:VISCOUS LIQUID EPOXY ODOR.

Percent Volatiles by Volume:0.0%

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACID, BASE

Stability Condition to Avoid:AMINE COMPOUNDS

IN UNCONTROLLED CONDITIONS.

Hazardous Decomposition Products:CO<sub>2</sub>, CO

=====  
===== Disposal Considerations =====

Waste Disposal Methods:THIS MATERIAL IF DISCARD MAY BE HAZARDOUS AS DEFINED BY GOVERNMENT REGULATIONS & THEREFORE MAY BE SUBJECT TO STORAGE, TRANSPORTATION, AND DISPOSAL REQUIREMENTS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The Unit

ed States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.