View NSN Online: https://aerobasegroup.com/nsn/9150-00-272-7652
NONFLUID OIL CORP VV-G-671 GRADE 1 9150-00-272-7652 ====================================
Product ID:VV-G-671 GRADE 1 MSDS Date:01/01/1987 FSC:9150 NIIN:00-272-7652 MSDS Number: BDRXJ === Responsible Party === Company Name:NONFLUID OIL CORP Emergency Phone Num:(201)344-3451 CAGE:6R581 === Contractor Identification === Company Name:NONFLUID OIL CORPORATION Address:298 DELANCY ST Box:City:NEWARK
State:NJ ZIP:07105-3009 Country:US CAGE:6R581
======= Composition/Information on Ingredients ========
Ingred Name:MFR STATES THIS PRDT NOT CONSIDERED HAZ.MTL.IN NORMAL USE RTECS #:9999999ZZ
Ingred Name:GRAPHITE AND MINERAL OIL-CALCIUM SOAP. Fraction by Wt: 100%. ACGIH TLV:5MG/CUM AS MIST
======================================
Effects of Overexposure:MAY CAUSE SLIGHT SKIN IRRITATION.
======================================
First Aid:WASH AFFECTED AREA W/SOAP & WATER/FLUSH EYES W/COPIOUS QUANTITIES OF WATER.
======================================
Flash Point:410F,210C COC Lower Limits:1. Upper Limits:6. Extinguishing Media:CO*2, FOAM, DRY CHEM & H*20 FOG. Fire Fighting Procedures:USE AIR SUPPLIED RESCUE EQUIPMENT IN ENCLOSED AREAS. Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ==========
0 111 D 1

Spill Release Procedures: ABSORB ON

CLAY & SWEEP UP.
============ Handling and Storage =============
Handling and Storage Precautions:KEEP AWAY FROM OPEN FLAMES. Other Precautions:AVOID BREATHING OIL MISTS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE Ventilation:LOCAL EXHAUST NEEDED ONLY TO CAPTURE HOT FUMES. Protective Gloves:NONE Eye Protection:NONE Supplemental Safety and Health UNDATED MSDS.
======== Physical/Chemical Properties ====================================
HCC:V6 Vapor Density:>11. Spec Gravity:0.92 Evaporation Rate & DEGLIGIBLE Solubility in Water:NEGLIGIBLE Appearance and Odor:BLACK,SEMI-SOLID PASTE,SLIGHT PETROLEUM ODOR Percent Volatiles by Volume:NEGL
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRG.OXIDIZERS AS CHLORINE & OXYGEN. Hazardous Decomposition Products:CARBON MONOXIDE MAY FORM ON INCOMPLETE COMBUSTION
======= Disposal Cons iderations ===========
Waste Disposal Methods:DISPOSE OF IAW LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent profession

al advice to verify and assume responsibility for the suitability of this information to their particular situation.