

SULFLO,INC. -- VV-G-632A;GENERAL PURPOSE GREASE;CODE:1150 -- 9150-00-273-2374
===== Product Identification =====

Product ID:VV-G-632A;GENERAL PURPOSE GREASE;CODE:1150

MSDS Date:06/01/1988

FSC:9150

NIIN:00-273-2374

MSDS Number: BDRYV

=== Responsible Party ===

Company Name:SULFLO,INC.

Address:1158 ERIE AVE

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Country:US

Info Phone Num:716-695-3585

E

mergency Phone Num:716-695-3585

Preparer's Name:THOMAS G. MUSILLI

CAGE:KO495

=== Contractor Identification ===

Company Name:SULFLO INC

Address:1158 ERIE AVE

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Country:US

Phone:716-695-3585

CAGE:1V074

Company Name:SULFLO,INC.

Address:1158 ERIE AVE.

Box:285

City:NORTH TONAWANDA

State:NY

ZIP:14120-3507

Phone:716-695-3585

CAGE:KO495

===== Composition/Information on Ingredients =====

Ingred Name:CALCIUM STEARATE

CAS:1592-23-0

RTEC

S #:WI3000000
Fraction by Wt: 14.0%

Ingred Name:MINERAL OIL
CAS:64742-52-5
RTECS #:PY8035000
Fraction by Wt: 85.0%
OSHA PEL:5MG/CUM,AS OIL MIST
ACGIH TLV:5MG/CUM,AS OIL MIST

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 1.0%

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Explanation of Carcinogenicity:PER MSDS DATA
Effects of Overexposure:NO ILL EFACTS.HOWEVER THIS PRODUCT MAY CAUSE
SKIN OR EYE
IRRITATION ON PROLONGED CONTACT.
Medical Cond Aggravated by Exposure:NO DATA PER MSDS.

===== First Aid Measures =====

First Aid:EYES:FLUSH WITH PLENTY OF WATER FOR ABOUT 15-20 MINUTES;SEEK
MEDICAL HELP.SKIN:WASH WITH PLENTY OF WATER USING SOAP.
INGESTION:DO NOT INDUCE VOMITING;SEEK MEDICAL HELP.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:380F/193C
Autoignition Temp:Autoignition Temp Te
xt:420F
Lower Limits:UNKN
Upper Limits:UNKN
Extinguishing Media:FOAM,DRY CHEMICAL-CO*2,SAND-FOG
Fire Fighting Procedures:TREAT REFINED MINERAL OIL
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB IN SAND OR IN OIL SORBENT AND RECOVER
IT INTO A CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:USE NORMAL PRECAUTIONS DURING
HANDLING.
Other

Precautions:AVOID SKIN AND EYE CONTACT.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQMENTS UNDER ORDINARY
CONDITIONS/ADEQUATE VENT.

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE
VENTILATION

Protective Gloves:OIL RESISTANT

Eye Protection:GOGGLES WITH FACE SHIELD

Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;WASH
THOROUGHLY AFTER EA

CH USE.

Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:700F/371C

Melt/Freeze Pt:M.P/F.P Text:210F

Vapor Pres:.01

Vapor Density:0.0

Spec Gravity:0.9

Evaporation Rate & Reference:0.01

Solubility in Water:NEGLIGILE

Appearance and Odor:SEMI-SOLID BUTTERY LUBRICATING GREASE-BLAND

Percent Volatiles by Volume:0.0

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Av

oid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:NOT SPECIFIED BY THE MFR.

Hazardous Decomposition Products:CO AND CO*2 IN CASE OF INCOMPLETE
COMBUSTION.

=====
===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR DISPOSE IN ACCORDANCE WITH
LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The

United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.