View NSN Online: https://aerobasegroup.com/nsn/9150-00-273-2388
BRAY OIL COMPANY, INC BRAYCO 460 (MIL-L-6081C,GR-1010) 9150-00-273-2388 ===================================
Product ID:BRAYCO 460 (MIL-L-6081C,GR-1010) MSDS Date:01/01/1985 FSC:9150 NIIN:00-273-2388 MSDS Number: BDRZR === Responsible Party === Company Name:BRAY OIL COMPANY, INC. Emergency Phone Num:213-575-1212 CAGE:EO565 === Contractor Identification === Company Name:BRAY OIL COMPANY, INC.
CAGE:EO565 Company Name:CASTROL INDUSTRIAL NORTH AMERICA INC. Address:5511 DISTRICT BLVD Box:City:LOS ANGELES State:CA ZIP:90040 Country:US Phone:213-890-4420 CAGE:98308
======= Composition/Information on Ingredients ========
Ingred Name:PETROLEUM OIL(MFR STATES,NON-HAZARDOUS) Fraction by Wt: 100%
========= Hazards Identification ===========
Effects of Overexposure:EYE:IRRITATION. SKIN:IRRITATION IN SENSITIVE INDIVIDUALS.
============ Fi rst Aid Measures ====================================
First Aid:FLUSH SKIN W/H*2O. FLUSH EYES THOROUGHLY W/H*2O AT LEAST 15 MIN & GET MEDICAL ATTENTION. REMOVE & WASH CONTAMINATED CLOTHING BEFORE REUSE.
======================================
Flash Point:280F/137C (COC) Extinguishing Media:DRY CHEMICAL,CARBON DIOXIDE,FOAM,WATER FOG. Fire Fighting Procedures:SELF-CONTAIN BREATH APP,WATER FOG TO COOL EXPOSED CONTAINERS
======== Accidental Release Measure

S ====================================
Spill Release Procedures:STOP FLOW & SHUT OFF SOURCES OF IGNITION. WIPE, MOP OR ABSORB WITH CLAY, DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE IN CLOSED METAL CONTAINERS.
============= Handling and Storage ==============
Handling and Storage Precautions:DO NOT STORE NEAR HEAT, OPEN FLAME OR OTHER SOURCE OF IGNITION.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVIC E IN ACCORD WITH EXPOSURE OF CONCERN. Ventilation:LOCAL/GENERAL Protective Gloves:PLASTIC/RUBBER Eye Protection:SAFETY GLASSES. Supplemental Safety and Health CONTAINER SIZE: 1 QT CAN
========= Physical/Chemical Properties ==========
HCC:V6 Boiling Pt:B.P. Text:>500F/260C Spec Gravity:0.876 Solubility in Water:NEGLIGIBLE Appearance and Odor:STRAW COLORED OILY LIQUID, PETROLEUM ODOR.
========= Stability and Reactivity Data =========
Stability Indicator /Materials to Avoid:YES STRONG OXIDIZING AGENTS

Hazardous Decomposition Products: CARBON MONOXIDE & ASPHYXIANTS

======= Disposal Considerations ===========

Waste Disposal Methods: COMPLY WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this

information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.