

BURMAH-CASTROL INC,BRAY PRODUCTS DIV -- BRAYCO 300 (LUBE OIL) -- 9150-00-273-2389

=====
Product Identification
=====

Product ID:BRAYCO 300 (LUBE OIL)

MSDS Date:01/01/1987

FSC:9150

NIIN:00-273-2389

MSDS Number: BDRZT

=== Responsible Party ===

Company Name:BURMAH-CASTROL INC,BRAY PRODUCTS DIV

Emergency Phone Num:(714)660-9414

CAGE:DO827

=== Contractor Identification ===

Company Name:BURMAH-CASTROL
INC.

Address:30 EXECUTIVE AVE

City:EDISON

State:NJ

ZIP:08817

Country:US

Phone:201 287-3120

CAGE:DO827

Company Name:CASTROL INDUSTRIAL NORTH AMERICA INC SPECIALTY PRODUCTS
DIV

Address:1001 WEST 31ST STREET

Box:City:DOWNERS GROVE

State:IL

ZIP:60515-1280

Country:US

Phone:800-621-2661/ FAX: 630-241-4140

CAGE:2R128

=====
Composition/Information on Ingredients
=====

Ingred Name:LUBRICATING OIL (USE TLV AS OIL MIST)

Fraction by Wt: 100%

ACGIH TLV:5MG/CUM(OILMIST)

=====

==== Hazards Identification =====

Effects of Overexposure:NOT EXPECTED TO CAUSE ANY ILL EFFECT EXCEPT POSSIBLY TO VERY SENSITIVE INDIVIDUALS.

==== First Aid Measures =====

First Aid:SKIN CONTACT: WASH WITH SOAP AND WATER. EYE CONTACT: FLUSH THOROUGHLY WITH WATER, CONTACT PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING, CONTACT PHYSICIAN.

==== Fire Fighting Measures =====

Flash Point:300F/149C (COC)
Lower Limits:U/K
Upper Limits:U/K
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG
Fire Fighting Procedures:DO NOT USE WATER EXCEPT AS FOG TO COOL CONTAINERS FROM HEAT.
Unusual Fire/Explosion Hazard:NONE

==== Accidental Release Measures =====

Spill Release Procedures:STOP FLOW, WIPE OR MOP UP, OR ABSORB AND RETURN TO CONTAINER.

==== Handling and Storage =====

Handling and Storage Precautions:N
O SPECIAL PRECAUTIONS, EXCEPT DO NOT STORE NEAR HEAT, OPEN FLAME, OR SOURCES OF IGNITION.
Other Precautions:AVOID CONTACT WITH SKIN AND EYES.

==== Exposure Controls/Personal Protection =====

Respiratory Protection:REQUIRED ONLY FOR MIST.
Protective Gloves:SENSITIVE INDIV
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health
FORMULA LISTED AS VV-L-800A.

==== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:>500F/260F
Vap

or Pres:U/K
Vapor Density:U/K
Spec Gravity:0.8790
Evaporation Rate & Reference:U/K
Solubility in Water:NEGLIGIBLE
Appearance and Odor:BROWN OILY LIQUID, PETROLEUM ODOR.
Percent Volatiles by Volume:U/K

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products:COMBUSTION CAN PRODUCE SMOKE AND
CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:USE METHOD IN COMPLIANCE WITH FED., STATE AND
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify an
d
assume responsibility for the suitability of this information to their
particular situation.