

ROYAL LUBRICANTS CO.,INC -- ROYCO 363B -- 9150-00-273-2397

=====
Product Identification
=====

Product ID:ROYCO 363B

MSDS Date:01/01/1987

FSC:9150

NIIN:00-273-2397

MSDS Number: BDSBC

=== Responsible Party ===

Company Name:ROYAL LUBRICANTS CO.,INC

Emergency Phone Num:201-887-7410

CAGE:07950

=== Contractor Identification ===

Company Name:ROYAL LUBRICANTS COMPANY INC.

Address:215 MERRY LN

Box:518

Cit

y:EAST HANOVER

State:NJ

ZIP:07936

Country:US

Phone:973-887-7411/7410

CAGE:07950

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDROTREATED LIGHT NAPHTHENIC DISTILLATE,PETROLEUM

CAS:64742-53-6

RTECS #:PY8036000

Fraction by Wt: 97%

Ingred Name:UNIDENTIFIED COMPONENTS

Fraction by Wt: 3%

=====
Hazards Identification
=====

Effects of Overexposure:EYES-IRRITAT. SKIN-POSS DERMATITIS. INGEST-POSS
GASTROINTESTINAL DISTURB,I.E.C

ATHARSIS & DIARRHEA

===== First Aid Measures =====

First Aid:EYES-FLUSH W/WATER,GET MED ATTN. SKIN-WASH W/SOAP & WATER.
INHAL-GET TO FRESH AIR. INGEST-DO NOT INDUCE VOMITING,GIVE 1/2 PT
MILK OR WATER. GET IMMED MED ATTN. IF VOMITING OCCURS,KEEP HEAD
LOWER THAN HIPS TO PREVENT ASPIRATION.

===== Fire Fighting Measures =====

Flash Point:330F/166C/COC

Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,FOAM. DO NOT USE WATER

JET

Fire Fighting Procedures:IN CONFINED SPACE-NIOSH APPRD SLF-CONTD BREATH APPARATUS

Unusual Fire/Explosion Hazard:COOL FIRE EXPOSED CONTAINERS SURROUNDING EQUIP & STRUCTURES W/WATER.

===== Accidental Release Measures =====

Spill Release Procedures:TAKE UP W/DIATOMACEOUS EARTH,CLAY OR OTHER INERT ABSORBENT & PLACE IN CONTAINER FOR LATER DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:

STORE IN A COOL,DRY PLACE WITH

ADEQUATE VENT. KEEP AWAY FROM OPEN FLAMES & HIGH TEMPS. MINIMIZE SKIN CONTACT.

Other Precautions:WASH W/SOAP & WATER BEFORE

EATING,DRINKING,SMOKING,USING TOILET FACILITIES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORM REQD

Protective Gloves:OIL RESISTANT

Other Protective Equipment:ADEQUATE TO MINIMIZE SKIN CONTACT

Supplemental Safety and Health

===== Physical/Chemical Proper

ties =====

HCC:V6

Spec Gravity:0.87

Solubility in Water:INSOLUBLE

Appearance and Odor:TAN COLORED GREASE,MILD BLAND,PETROLEUM ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HEAT,OPEN FLAME,CONTACT W/STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:CARBON MONOXIDE & UNIDENT ORGAN CMPDS MAY BE FORMED

===== Disposal Consideration

s =====

Waste Disposal Methods:PRODUCT IS CLASSIFIED AS AN OIL UNDER SECTION 311 OF THE CLEAN WATER ACT. SPILLS ENTER SURFACE WATER OR WATER SOURCES/SEWERS ENTER/LEAVE SURFACE THAT CAUSE SHEEN MUST BE REPORTED TO NATL RESPONSE CENT ER-800-424-8802

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.