View NSN Online: https://aerobasegroup.com/nsn/9150-00-273-8663

## CONVOY OIL CORP -- VACUUM PUMP LUBRICATING OIL -- 9150-00-273-8663

============= Product Identification ==============

Product ID:VACUUM PUMP LUBRICATING OIL

MSDS Date:01/01/1985

FSC:9150

NIIN:00-273-8663

MSDS Number: BDSBN === Responsible Party ===

Company Name: CONVOY OIL CORP Emergency Phone Num: 215-739-5281

**CAGE:6A438** 

=== Contractor Identification ===
Company Name:CONVOY OIL CORP
Address:1410 N FRONT STREET

Во

x:29366

City:PHILADELPHIA

State:PA ZIP:19125 Country:US

Phone:215-739-5281

CAGE:6A438

====== Composition/Information on Ingredients ========

Ingred Name: SOLVENT REFINED HEAVY PARAFFINIC DISTILLATE (TLV GIVEN FOR

OIL MIST ONLY)
Fraction by Wt: 97.5%
ACGIH TLV:5 MG/CU M

Ingred Name: MIXED ALKYLATED DIPHENYL AMINES

Fraction by Wt: 2%.

Ingred Name: 2,6-DITERTIARYBUTYL-PARA-CRESOL

Fraction by Wt: 0.5% ACGIH TLV:10 MG/CUM

Ingred Name: SILICONE POLYMER DEFOAMER (CONTAINED IN TRACE A

MOUNTS)
========== Hazards Identification ============
Effects of Overexposure:MAY CAUSE MILD EYE IRRIT;
======================================
First Aid:EYE: WASH W/COPIUS AMT. OF WATER; SKIN:WASH W/SOAP & WATER; WASH CLOTHING BEFORE REUSE; INGESTION:GIVE LIQUIDS & INDUCE VOMITING. CALL MD
======================================
Flash Point:440F (COC) Extinguishing Media:WATER FOG, CHEMICAL FOAM,DRY C HEMICAL, CARBON DIOXIDE
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING GEAR IN CONFINED SPACES
Unusual Fire/Explosion Hazard:INCOMPATIBLE W/STRONG OXIDIZERS
======== Accidental Release Measures =========
Spill Release Procedures:CLEAN UP USING AN OIL ABSORBENT
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NO UNUSUAL PRECAUTIONS Ventilation:LOCAL:AS NEEDED TO MAINTAIN TLV Protective Gloves:REPEATD CONTACT Eye Pr
otection:FACE SHIELD OR GOGGLES Other Protective Equipment:IF CNTCT UNAVOIDABLE, WEAR APPROPRIATE OIL IMPERVIOUS CLOTH
Supplemental Safety and Health MSDS IS UNDATED. VAPOR PRESSURE 600 Vapor Density:>12
Spec Gravity:0.875 Evaporation Rate & Description R
Solubility in Water:NIL Appearance and Odor:AMBER LIQUID,LITTLE ODOR Percent Volatiles by Volume:NIL
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES INCOMPA

## TIBLE W/STRONG OXIDIZERS Hazardous Decomposition Products: CARBON MONOXIDE & ASPHYXIANTS

======= Disposal Considerations ==========

Waste Disposal Methods:DISPOSE IN ACCORD W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.