

BRAY OIL COMPANY, INC -- BRAYCO 460(MIL-L-6081C,GR-1010) -- 9150-00-273-8807

=====
Product Identification
=====

Product ID:BRAYCO 460(MIL-L-6081C,GR-1010)

MSDS Date:01/01/1985

FSC:9150

NIIN:00-273-8807

MSDS Number: BDSDJ

=== Responsible Party ===

Company Name:BRAY OIL COMPANY, INC

Emergency Phone Num:213-575-1212

CAGE:EO565

=== Contractor Identification ===

Company Name:BRAY OIL COMPANY, INC.

CAG

E:EO565

Company Name:CASTROL INDUSTRIAL NORTH AMERICA INC.

Address:5511 DISTRICT BLVD

Box:City:LOS ANGELES

State:CA

ZIP:90040

Country:US

Phone:213-890-4420

CAGE:98308

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM OIL (MFR STATES,NON-HAZARDOUS)

Fraction by Wt: 100%

=====
Hazards Identification
=====

Effects of Overexposure:EYE:IRRITATION. SKIN:IRRITATION IN SENSITIVE
INDIVIDUALS

=====
First

Aid Measures
=====

First Aid:EYE:FLUSH WITH WATER 15 MINUTES,CALL PHYSICIAN. SKIN:WASH
WITH SOAP AND WATER. INGESTION:DO NOT INDUCE VOMITING,CALL
PHYSICIAN.

=====
Fire Fighting Measures
=====

Flash Point:280F/137C (COC)

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE,FOAM,WATER FOG.

Fire Fighting Procedures:SELF-CONTAIN BREATH APP, WATER FOG TO COOL
EXPOSED CONTAINER

=====
Accidental Release Measures
=====

=====

Spill Release Procedures:STOP FLOW & SHUT OFF SOURCES OF IGNITION.
WIPE,MOP OR ABSORB WITH CLAY,DIATOMACEOUS EARTH OR OTHER INERT
MATERIAL. STORE IN CLOSED METAL CONTAINERS.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE NEAR HEAT,OPEN FLAME OR
OTHER SOURCE OF IGNITION.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVIE IN ACCORD WITH
ECXPOSURE OF CONCERN.

Ventilation:LOCAL/GENERAL

Protective Gloves:PLASTIC/RUBBER

Eye Protection:SAFETY GLASSES.

Supplemental Safety and Health

CONTAINER SIZE: 1 GAL CAN

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>500F/260C

Spec Gravity:0.876

Solubility in Water:NEGLIGIBLE

Appearance and Odor:STRAW COLORED OILY LIQUIDS,PETROLEUM ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to A

void:YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:CARBON MONOXIDE & ASPHYXIANTS

===== Disposal Considerations =====

Waste Disposal Methods:COMPLY WITH LOCAL, STATE AND FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this informati

on to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.