

AMCHEM PRODUCTS INC. -- FINGERPRINT REMOVER NO. 100 -- 8030-00-281-2338

=====
Product Identification
=====

Product ID:FINGERPRINT REMOVER NO. 100

MSDS Date:01/01/1985

FSC:8030

NIIN:00-281-2338

MSDS Number: BDSSJ

=== Responsible Party ===

Company Name:AMCHEM PRODUCTS INC.

Emergency Phone Num:215/628-1000

CAGE:GO947

=== Contractor Identification ===

Company Name:AMCHEM PRODUCTS INC

CAGE:GO947

Compa

ny Name:PARKER-AMCHEM/HENKEL CORPORATION

Address:32100 STEPHENSON HIGHWAY

Box:City:MADISON HEIGHTS

State:MI

ZIP:48071

Country:US

Phone:1-517-263-9430 CHEM EMER18004249300

CAGE:84063

=====
Composition/Information on Ingredients
=====

Ingred Name:ALIPHATIC HYDROCARBON SOLVENTS

Fraction by Wt: 27%

ACGIH TLV:500PPM

Ingred Name:ALIPHATIC HYDROCARBON OILS

Fraction by Wt: 27%

Ingred Name:ALCOHOLS (BRANCHED CHAIN)

Fraction by Wt: 23%

ACGIH TLV:25PPM SKIN

=====
Haz

ards Identification =====

Effects of Overexposure:MAY CAUSE INJURY OR IRRITATION TO MUCOUS MEMBRANES AND RESPIRATORY TRACT.

===== First Aid Measures =====

First Aid:SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER. INGESTION: DRINK LARGE QUANTITIES OF MILK. CALL A DOCTOR.

===== Fire Fighting Measures =====

Flash Point:105F T.C.C.
Extinguishing Media:CARBON,FOAM OR VA
PORIZING LIQUID EXTINGUISHER

===== Accidental Release Measures =====

Spill Release Procedures:TRANSFER CONTENTS TO A CLEAN GLASS, MILD STEEL, STAINLESS STEEL OR PLASTIC CONTAINERDISCARD BROKEN CONTAINER AND FLUSH AWAY RESIDUAL WITH PLENTY OF WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA. DO NOT STORE BELOW 20F.

===== Exposure Controls/Personal Protection ====
=====

Ventilation:LOCAL EXHAUST
Protective Gloves:RUBBER
Eye Protection:SAFETY GOGGLES
Other Protective Equipment:APRONS AND SOLVENT RESISTANT GLOVES.
Supplemental Safety and Health
BROOKSIDE AVENUE, AMBLER, PENN 19002.

===== Physical/Chemical Properties =====

Spec Gravity:0.88
Appearance and Odor:MINERAL SPIRITS ODOR-EMULSION LIKE APPEARANCE
Percent Volatiles by Volume: 77

===== Stability and Reactivity Data =====

Stability Indicat

or/Materials to Avoid: YES
STRONG OXIDIZING AGENTS

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.