

EVERSEAL MFG.CO 475 BROAD AVE RIDGEFIELD NJ, 07657 -- TYPE 1 - DECK GRAY --
8010-00-281-2347

===== Product Identification =====

Product ID:TYPE 1 - DECK GRAY

MSDS Date:01/01/1985

FSC:8010

NIIN:00-281-2347

MSDS Number: BDSSN

=== Responsible Party ===

Company Name:EVERSEAL MFG.CO 475 BROAD AVE RIDGEFIELD NJ, 07657

Emergency Phone Num:201 9434986

CAGE:LO119

=== Contractor Identification ===

Company

Name:EVERSEAL MFG CO INC

Address:475 BROAD AVE

Box:City:RIDGEFIELD

State:NJ

ZIP:07657-2329

Country:US

Phone:201-943-4986

CAGE:72988

Company Name:EVERSEAL MFG.CO 475 BROAD AVE RIDGEFIELD NJ, 07657

CAGE:LO119

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000

Fraction by Wt: 19%

OSHA PEL:100 PPM

Ingred Name:IRON OXIDE

CAS:1309-37-1

RTECS #:NO7400000

Fraction by Wt: 3.0%

OSHA PEL:10 MG/M3 (FE)

ACG

IH TLV:5 MG/M3(FE),B2; 9293

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 45.0%

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 8%.O

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:ALKYD RESIN

Fraction by Wt: 2.0%

=====
===== Hazards Identification =====

Effects of Overexposure:DRYING OF SKIN,EYE IRRITATION,EXCESSIVE

INHALATION MAY CAUSE ANESTHESIA,HEADACHE,DIZZINESS,NAUSEA

=====
===== First Aid Measures =====

First Aid:INHALATION:REMOVE TO FRESH AIR,APPLY ARTIFICIAL RESPIRATION IF NECESSARY,CALL A PHYSICIAN.SKIN CONTACT:WASH WITH MILD SOAP AND WATER APPLY A MILD CREAM,INSEVERE CASES CONTACT A PHYSICIAN,INGESTION: CALL A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point:105F TCC

Lower Limits:0.9

Upper Limits:

6.0

Extinguishing Media:EXCLUDE AIR-USE FOAM,CO2,STEAM,DRY CHEMICAL

Fire Fighting Procedures:SUPPLY AIR OR SELF CONTAINED BREATHING APPARATUS

Unusual Fire/Explosion Hazard:WATER MAY BE UNSUITABLE EXCEPT FOR COOLING EFFECTS

=====
===== Accidental Release Measures =====

Spill Release Procedures:FLUSH WITH WATER INTO RETAINING AREA OR CONTAINER.AVOID SPARKS.FIRE OR HOT METAL SURFACES,SMALL QUANTITIES MAY BE ABSORBED ONTO AN APPROPRIATE ABSORBANT.

=====

===== **Handling and Storage**=====

Handling and Storage Precautions:KEEP COOL & AWAY FROM SOURCE OF IGNITION. USE WITH ADEQUATE VENTILATION. AVOID PROLONGED OR REPEATED PERSONAL CONTACT

===== **Exposure Controls/Personal Protection**=====

Respiratory Protection:USE NIOSH RECOMMENDED RESPIRATOR-DEPENDS ON CONCENTRATION ABOVE TWA

Ventilation:WHATEVER IS SUFFICIENT TO KEEP WORK ROOM CONCENTRATION

Protective Gloves:IMPERMEABLE CHE

Eye Protection:

MICAL GOGGLES

Other Protective Equipment:APRON,BARRIER CREAM

Supplemental Safety and Health

COPPER 8 QUINOLEOTE 0.2 PERCENT, CHLORINATED LONG CHAIN PARAFFINS 19 PERCENT

===== **Physical/Chemical Properties**=====

Boiling Pt:B.P. Text:326-387F

Vapor Pres:5

Vapor Density:4.9

Spec Gravity:1.49

Evaporation Rate & Reference:SLOWE THAN NBUACT

Appearance and Odor:STANDARD PAINT ODOR

Percent Volatiles by Volume:38.0

===== **Stability and Reactivity Data** ==

=====

Stability Indicator/Materials to Avoid:YES

STRONG, OXIDIZING AGENTS

Stability Condition to Avoid:HEAT,SPARK OPEN FLAME,FIRE

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY YIELD CARBON MONOXIDE AND CO2

===== **Disposal Considerations**=====

Waste Disposal Methods:INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF IN ACCORDANCE WITH APPLICABLE LOCAL,STATE & FEDERAL REGULATIONS

Disclaimer (provided with this information by the compil

ing agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.