

ASHLAND CHEMICAL CO -- SODIUM DICHROMATE TECHNICAL -- 6810-00-281-2686

=====
Product Identification
=====

Product ID:SODIUM DICHROMATE TECHNICAL

MSDS Date:10/01/1985

FSC:6810

NIIN:00-281-2686

MSDS Number: BDSSY

=== Responsible Party ===

Company Name:ASHLAND CHEMICAL CO

Box:2219

City:COLUMBUS

State:OH

ZIP:43216

Country:US

Info Phone Num:614-790-3333

Emergency Phone Num:606-324-1133

CAGE:5A188

===

Contractor Identification ===

Company Name:ASHLAND CHEMICAL CO

Address:5200 PAUL BLAZEL MEMORIAL PARKWAY

Box:City:DUBLIN

State:OH

ZIP:43017

Country:US

Phone:614-889-4505

CAGE:5A188

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM DICHROMATE DIHYDRATE

CAS:7789-12-0

RTECS #:HX7750000

Fraction by Wt: 85-90%

OSHA PEL:C, 0.1 MG/M3 (CRO3)

ACGIH TLV:0.05 MG/M3 (CR);8990

=====
Hazards Identification
=====

Routes of Entry: Inhal

ation: YES Skin: YES Ingestion: YES
Reports of Carcinogenicity: NTP: YES IARC: YES OSHA: YES
Health Hazards Acute and Chronic: ACUTE: CAN CAUSE SEVERE
IRRITATION, REDNESS, TEARING, BLURRED VISION OF EYES, IRRITATION AND
CHROME SORE; PERFORATION OF NASAL SEPTUM. INGESTION MAY CAUSE MUCOUS
MEMBRANES AND DEEP TISSUES.
Explanation of Carcinogenicity: HEXAVALENT CHROMIUM (CHROMIUM VI) IS A
SUSPECTED HUMAN CARCINOGEN.
Effects of Overexposure: EYES: SEVERE ITTITNT. SKIN: IRRITNT, CHROME
SORES. INHA
L: NASAL PERFORATION. INGEST: MUCOSA, VISCERA DAMAGE.
Medical Cond Aggravated by Exposure: PRE-EXISTING CONDITIONS MAY BE
WORSEN.

=====
===== First Aid Measures =====

First Aid: SKIN: WASH S. SOAP AND WATER. EYES: FLUSH W/LARGE AMTS
WATER. INGEST GIVE 2 GLASSES WATER, INDUCE VOMITING. INHAL: MOVE TO
FRESH AIR. OBTAIN DR. ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point: NONE
Extinguishing Media: USE SUITABLE MEDIA FOR SURR
OUNDING FIRE.
Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA.
Unusual Fire/Explosion Hazard: DECOMPOSITION RELEASES O*2(SUPPORTS
COMBUSTION) AND REDUCES SUFFOCATION TYPE EXTINGUISHER EFFECTVNESS

=====
===== Accidental Release Measures =====

Spill Release Procedures: SMALL SPILL: SWEEP UP MATERIAL ONTO PAPER. LARGE
SPILL: SHOVEL MATERIAL INTO CONTAINERS. THOROUGHLY SWEEP AREA OF
SPILL TO CLEAN UP ANY RESIDUAL MATERIAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions: CONTAINERS MAY BE HAZARDOUS WHEN
EMPTIED (RETAIN PRODUCT RESIDUES) ALL HAZARD PRECAUTIONS MUST BE
OBSERVED.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST/MIST
(HIGH EFFICIENCY) RESPIRATOR IF ABOVE PEL/TLV.
Ventilation: MECHANICAL (GEN/LOCAL EXHAUST) TO MAINTAIN EXPOSURE BELOW TLV
Protective Gloves: NEOPRENE
Eye Prote

ction:CHEM SPLASH GOGGLES

Other Protective Equipment:NORMAL WORK CLOHING/BOOTS COVERING ARMS AND LEGS.

Work Hygienic Practices:AVOID CONTACT WITH EYES & SKIN;DO NOT BREATHE VAPOR/DUST OR MIST;WASH THOROUGHLY AFTE EACH USE;USE FULL PERSONAL PROTECT

Supplemental Safety and Health

HCC = D2 ASSIGNED BASED UPON THE FACT THAT ITEM IS AN OXIDIZER AND TOXIC, ALSO HAS ACUTE & CHRONIC HEALTH EFFECTS (SEE TABLE B-3 OF DLAI 4145.11)

=====
===== Physical/Chemical Properties =====
=====

HCC:D2

Spec Gravity:2.52

Solubility in Water:APPRECIABLE

Appearance and Odor:RED OR RED-ORANGE DELIQUEESCENT CRYSTALS.

=====
===== Stability and Reactivity Data =====
=====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT WITH ALKALI METALS.

Hazardous Decomposition Products:MAY FORM TOXIC CHROMIUM FUMES,ETC.

=====
===== Disposal Considerations =====
=====

Waste Disposal Methods:SMALL SPILL:PACKAGE AND DEPOSIT IN LANDFILL IAW LOCAL

,STATE,FEDERAL REGULATIONS.LARGE SPILL:DEPOSIT IN LANDFILL IAW LOCAL,STATE,AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.