View NSN Online: https://aerobasegroup.com/nsn/6850-00-281-3042

Product ID:TURCO 6321 MSDS Date:01/01/1985 FSC:6850 NIIN:00-281-3042 MSDS Number: BDSXG === Responsible Party === Company Name: TRU-CHEMIE H. J. ZIESCHE Address: GATTENHOEFERWEG 31 City:OBERURSEL, GERMANY Country:GE Emergency Phone Num:213-634-3300 CAGE:LO131 === Contractor Identification === **Company Name: TRU-CHEMIE H. J. ZIESCHE** Address:GATTENHOEFERWEG 31 Box:City:OBERURSEL, GERMANY Country:GE CAGE:LO131 Company Name: TURCO PRODUCTS, INC. Box:6200 City:PHILADELPHIA State:PA ZIP:19103 Country:US Phone:215-419-7890 CAGE:D9808

Ingred Name:MONOETHANOLAMINE RTECS #:QB4200000 Fraction by Wt: 20% ACGIH TLV:3PPM

Ingred Name:BUTYL ETHER OF ETHYLENE GLYCOL Fraction by Wt: 9% ACGIH TLV:50PPM

Ingred Name:SODIUM FLUORIDE (SARA III) CAS:7

681-49-4 RTECS #:WB0350000 Fraction by Wt: 1% OSHA PEL:2.5 PPM F ACGIH TLV:2.5 MG F/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Effects of Overexposure:SKIN:DEFATTING,MINOR IRRITATION.EYES: NON-PERMANENT IRRITATION INHALATION:IRRITATION,NAUSEA.INGESTIO

First Aid:SKIN:WASH W/WATER. EYES:FLUSH W/WATER.OBTAIN MEDICAL ATTENTION IF IRRITATION PER SISTS.INHALATION:REMOVE TO FRESH AIR.INGESTION:GIVE MILK OR WATER AND/OR INDUCE VOMITING IN SEVERE CASE,CALL A DR. FOR I NSTRUCTIONS.

Flash Point:212F COC 100C Extinguishing Media:WATER

Spill Release Procedures: CONFINE SPILLS BY SANDBAGS OR ABSORB ON SUITABLE MATERIALS (RAGS, SAWDUST, SWEEPING COMPOUNDS). COLLECT SPILLS IN SEALABLE CONTAINERS.

Handling and Storage Precautions:STORE IN CLOSED CONTAINERS AWAY FROM EXCESSIVE HEAT OR DIRECT SUNLIGHT.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:RESPIRATOR WITH MECHANICAL FILTER FOR MIST OR DUST CONDITIONS. Protective Gloves:OPTIONAL RUBBER Eye Protection:CHEMICAL GOGGLES Other Protective Equipment:OPTIONAL Supplemental Safety and Health PROCURED UNDER TURCO 6321

=

HCC:B2 Boiling Pt:B.P. Text:212F 100C Vapor Pres:30-Spec Gravity:1.006 Evaporation Rate & amp; Reference:< 1% Solubility in Water:COMPLETE Appearance and Odor:CLEAR AMBER LIQUID Percent Volatiles by Volume:80%

Stability Indicator/Materials to Avoid:YES

Waste Disposal Methods:NEUTRALIZE AND SEPARATE FLOATABLE GREASE AND OIL FOR INCINERATION OR DISPOSAL IN APPROVED LANDFILL RELEASE NEUTRALIZED WATERS TO SEWER IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its

use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.