View NSN Online: https://aerobasegroup.com/nsn/6810-00-281-4163

Product ID:MERCURIC NITRATE SOLUTION MSDS Date:12/27/1990 FSC:6810 NIIN:00-281-4163 MSDS Number: BDSYX === Responsible Party === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET City:HIGH LAND State:CA ZIP:92346 Country:US Info Phone Num:714-864-2310/FAX 714-864-6220 Emergency Phone Num:714-864-2310 (75-1; DELORESS ANGELO) Preparer's Name: CHARLES A. EISENHARD CAGE:60777 === Contractor Identification === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777 Company Name: POLYSCIENCES INC Address:400 VALLEY RD Box:City:WARRINGTON State:PA ZIP:18976 Country:US Phone:215-343-6484 CAGE:32939

======== Composition/Information on Ingredients =

Ingred Name:MERCURIC NITRATE (SARA III) CAS:10045-94-0 RTECS #:OW8225000 Fraction by Wt: 7.5% OSHA PEL:0.1 MG HG/M3;SKIN;C ACGIH TLV:0.1 MG HG/M3; 9192 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name:NITRIC ACID (SARA III) CAS:7697-37-2 RTECS #:QU5775000 Fraction by Wt: 0.02% OSHA PEL:2 PPM/4 STEL ACGIH TLV:2 PPM/4 STEL; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:D.I.WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 92.48%

================== Hazards I

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:EYES:SEVERE DAMAGE;SKIN:MILD IRRITATION;INHALATION:NASAL & RESPIRATORY IRRITATION;INGESTION:HIGHLY TOXIC. Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN

First Aid:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. SKIN:WASH WITH SOAP & WATER. EYES:FLUSH WITH WATER 15 MIN. KEEP WARM AND QUIET GIVE MILK/WTR.INDUCE VOMIT.SEE DR.IMM;SKIN:REMOVE CLOTH,SHOES;IF ANY COND.P ERSISTS,SEE DR.

Flash Point:NONE

Extinguishing Media:CO*2,WATER SPRAY,WATER.

Fire Fighting Procedures:CORROS.MTL-WEAR PROTECTIVE GLOVES,FOOTWEAR AND CLOTHING.

Unusual Fire/Explosion Hazard:CONTACT W.METALS MAY GENERATE FLAMMABLE HYDROGEN GAS.

====

Spill Release Procedures:SML SPILL:USE PROTECTIVE GEAR.MOP UP.PLACE IN SUITABLE DISPOSAL CONTAINERS-LG SPILL:DIKE AREA.NEUTRALIZE W.SODIUM BICARBONATE.SWEEP UP AND DISPOSE OF AS A TOXIC WASTE.PUMP LIQUID TO A SUITABLE HOLDING TANK.

Handling and Storage Precautions: AVOID CONTACT W.SKIN.DO NOT STORE NEAR ORGANIC MATERIAL SUBJECT TO OXIDATION. Other

Precautions:DO NOT STORE NEAR ORGANIC MATERIALS SUBJECT TO

OXIDATION; AVOID CONTACT WITH EYES AND SKIN.DO NOT BREATHE VAPORS/MIST.WASH THOROUGHLY AFTER EACH USE.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR VAPORS/MIST IF ABOVE TLV/PEL. Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION Protective Gloves:IMPERVIOUS Eye Protection:GOGGLES/FACE SHIELD Other Protective Equipm ent:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE WASH STATION Supplemental Safety and Health MSDS RECEIVED BY THE DGSC-SLM:NOV 6.1987

HCC:T4 Boiling Pt:B.P. Text:212F/100C Vapor Pres:18 Vapor Density:1.0 Spec Gravity:1.07 pH:1.0 Evaporation Rate & amp; Reference:0.36 (BUT ACET=1) Solubility in Water:COMPLETE Appearance and Odor:CLEAR SOLUTION WITH NO ODOR. Percent Volatiles by Volume:92.5

======== Stability and Re

Stability Indicator/Materials to Avoid:YES REDUCING AGENTS,ALKALINE COMPOUNDS.ORGANIC COMPOUND Stability Condition to Avoid:EXCESSIVE HEAT. Hazardous Decomposition Products:OXIDES OF NITROGEN ON INCINERATION ALSO MERCURY METAL VAPOR

Waste Disposal Methods: DISPOSE OF IAW LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This i

nformation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.