

MALLINCKRODT INC.,SCIENCE PRODUCTS DIVISION -- BUTYL ALCOHOL,NORMAL --
6810-00-281-6928

=====
===== Product Identification =====

Product ID:BUTYL ALCOHOL,NORMAL

MSDS Date:01/01/1987

FSC:6810

NIIN:00-281-6928

MSDS Number: BDTBP

=== Responsible Party ===

Company Name:MALLINCKRODT INC.,SCIENCE PRODUCTS DIVISION

Address:PARIS BYPASS

Box:M

City:PARIS

State:KY

ZIP:40361

Country:US

Info Phone Num:314-982-5000

Emergency Phone Num:314-982-5000

CAGE:62910

=== Contractor Identification ===

Company Name:MALLINCKRODT SPECIALTY CHEMICALS CO

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865

Country:US

Phone:908-859-2151

CAGE:62910

=====
===== Composition/Information on Ingredients =====

Ingred Name:N-BUTYL ALCOHOL (SARA III)

CAS:71-36-3

RTECS #:EO1400000

Fraction by Wt: >99%

OSHA PEL:100 PPM

ACGIH TLV:S, C 50 PPM; 9293

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====

==== Hazards Identification =====

Effects of Overexposure:INH:MAY IRRIT,NOSE/THROAT;ING:MAY CAUSE
NAUSEA,DIARRHEA,VOMIT;SKIN:DEMATITIS;EYES:IRRIT,BLURRD VISN.

==== First Aid Measures =====

First Aid:INHAL:REMOVE TO FRESH AIR.GIVE CPR/OXYGEN IF NEEDED;INGEST:IF
SWALLOWED,GIVE TWO GLASSES OF WATER & INDUCE VOMIT.NOTHING BY MOUTH
IF UNCON;SKIN/EYE EXPOSURE:RMV CONTMNTD CLOTHG.WASH SKIN W/SOAP &
H*2O .FLUSH SKIN/EYES W/
LG H*2O;GET MED HELPIMMEDIATLY

==== Fire Fighting Measures =====

Flash Point:29C(84F)-C.C

Lower Limits:1.4

Upper Limits:11.3

Extinguishing Media:WATER,DRY CHEM,FOAM,CO*2;WATER SPRAY:TO KEEP EXPSD
CANS COOL

Fire Fighting Procedures:USE H*20 TO COOL EXPD CONTRS. USE SCBA & FULL
PROT.CLTHG.

Unusual Fire/Explosion Hazard:ABOVE FLASH POINT,VAP-AIR MIXTURES ARE
EXPLOSIVE WITHIN FLAMMABLE LIMITS; AUTO IGN TEMP:

==== Accidental Release Mea
sures =====

Spill Release Procedures:RMV IGN SOURCES.VENT AREA.USE RESP PROTCTION &
PROTCTV CLOTHG.KEEP OUT OF SURF H*2O,SEWRS/CONFND AREAS;SM
SPILL:ABSORB W/PAPER TOWELS.EVAP UNDER FUME HOOD THEN BURN
CAREFULLY;LG SPILL:DIKE AREA.CONTAI N & RECOVER SPILL IF POSS;SHOVL
RESDUE INTO DRUMS.

==== Handling and Storage =====

Handling and Storage Precautions:KEEP IN TIGHTLY CLOSED CONTAINERS AT
COOL, DRY, VENTILATED PLACE. PROTECT
AGAINST PHYSICAL DAMAGE.

Other Precautions:AVOID BREATHING DUST. USE W/ADEQUATE VENTILATION.
KEEP CONTAINERS CLOSED. WASH THOROUGHLY AFTER HANDLING. AVOID SKIN,
EYES & CLOTHING CONTACT.

==== Exposure Controls/Personal Protection =====

Respiratory Protection:SUPPLIED AIR RESPIR/SCBA; ESCAPE: GAS MASK

Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY

SHOWER,EYE
WASH STATION

Supplemental Safety and Health

MSDS FROM MFR DATED:JAN 1985 CONFORMS TO OSHA HAZ COMM STD.

===== Physical/Chemical Properties =====

HCC:F3

Boiling Pt.=117.8C, 244.F

Vapor Pres:5

Vapor Density:2.6

Spec Gravity:0.8

Evaporation Rate & Reference:0.46(BU-ACETATE=1)

Solubility in Water:SLIGHT

Appearance and Odor:CLEAR,COLORLESS LIQUID.ODOR LIKE FUEL OIL BUT WEAK

===== Stability and Reactivity Data =====

Stabilit

y Indicator/Materials to Avoid:YES

OXIDIZERS;ALUMINUM,CHROMIUM TRIOXIDE.

Stability Condition to Avoid:HEAT, IGNITION SOURCES

Hazardous Decomposition Products:CO,CO*2 WHEN HEATED TO DECOMPOSITION

===== Disposal Considerations =====

Waste Disposal Methods:COLLECT SPILLS & ATOMIZE IN A RCRA-APPROVED
COMBUSTION CHAMBER EQUIPPED W/AFTER-BURNER & SCRUBBER SYSTEM,OR
ABSORB IN VERMICULITE,DRY SAND,OR OTHER SIMILAR MATL FOR DISPOSAL
AS HAZARD WASTE IN AN APPR
OVED RCRA FACILITY I/A/W LOCAL,STATE &
FED REGS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suita

bility of this information to their particular situation.