

ADROW CHEMICAL COMPANY -- MERCURY(ELEMENT);QUICK SILVER,LIQUID SILVER --
6810-00-281-7450

=====
===== Product Identification =====

Product ID:MERCURY(ELEMENT);QUICK SILVER,LIQUID SILVER

MSDS Date:06/01/1988

FSC:6810

NIIN:00-281-7450

MSDS Number: BDT CJ

=== Responsible Party ===

Company Name:ADROW CHEMICAL COMPANY

Address:3 LINES AVE

City:WANAQUE

State:NJ

ZIP:07465-1509

Country:US

Info Phone Num:201-839-

2372

Emergency Phone Num:201-427-5273

CAGE:3F134

=== Contractor Identification ===

Company Name:ADROW CHEMICAL CO.

Address:2 LINES AVE.

Box:City:WANAQUE

State:NJ

ZIP:07465-1509

Country:US

Phone:201-337-3183/201-427-5273

CAGE:3F134

Company Name:FLORIDA MEDICAL INDUSTRIES,INC.

Address:309 HWY 27-441 N

Box:493000

City:LEESBURG

Phone:800-874-0621

CAGE:FMINS

=====
===== Composition/Information on Ingredients =====

Ingred Name:MERCURY (SARA III)

CAS:7439-97-6

RTECS #:OV4550000

Fraction

by Wt: 100.0%
OSHA PEL:S, C, 0.1 MG/M3
ACGIH TLV:S, 0.05 MG/M3; 9192
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:IRRITATES THE EYES AND THE SKIN;THE
SUBSTANCE AFFECTS THE NERVOUS SYSTEM,KIDNEY,BRAIN AND NERVE INJURY
MAY OCCUR.TARGET ORGANS:SKIN,RESP SYSTEM,CNS,KIDNEYS,EYES.
Effects of Ov
erexposure:INHALATION:SORE THROAT,HEADACHE,NAUSEA,CNS
DEPRESSION,TREMORS,IRRITABILITY,LOSS OF WEIGHT,KIDNEY
DAMAGE,INFLAMMATION OF MOUTH & GUMS;SKIN:IRRITATION,BURNS OR
REDNESS;EYES:IRRITATION,REDNESS;INGESTION:
VOMITING,NAUSEA,DIARRHEA.
Medical Cond Aggravated by Exposure:PEOPLE WITH LIVER,KIDNEY OR NERVOUS
SYSTEM DISORDERS;GUM AND MOUTH INFLAMATION,IRRITABILITY AND
TREMORS.

===== First Aid Measures =====

First Aid:INHALE:REMOVE TO
FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:ANY MEDIA SUITABLE FOR SURROUNDING FIRES.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA IN FIRES;MERCURY WILL EVAPORATE AS VAPORS,WHICH IS TOXIC AND
POISONOUS.
Unusual Fire/Explosion Hazard:WILL EVAPORATE WHEN HEATED,CREATING TOXIC
FUMES,USE SELF CONTAINED BREATHING APPARATUS.

===== Accidental Release Measures =====

Spill Release Procedures:MERCURY WHEN SPILLED SHOULD BE PICKED UP
IMMEDIATELY PREFERABLY BY A SPECIALLY DESIGNED VACUUM CLEANER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED(SMALL
QUANTITIES ARE PREFERABLY STORED IN POL

YETHYLENE BOTTLE).COVER THE
SURFACE WITH WATER AS MUCH AS POSSIBLE PROTECT EVA
Other Precautions:PORATION.MAINTAIN GOOD VENTILATION.CLOSE ATTENTION
SHOULD BE PAID TO MAINTENANCE & CLEANING OF APPARATUS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATORY WITH MERCURY CARTRIDGE SHOULD BE
WORN WHEN TLV EXCEEDED
Ventilation:AS REQUIRED TO CONTROL TLV IN AIR
Protective Gloves:RUBBER
Eye Protection:GOGGLES/FACE SHIELD
Other Protective E
quipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE
WASH STATION
Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE
VAPORS;WASH THOROUGHLY AFTER EACH USE.DO NOT EAT,DRINK OR SMOKE
WORK ARE
Supplemental Safety and Health
MSDS REVISED JUNE 1988;MERCURY IS TOXIC AND AFFECTS
CNS,LIVER,KIDNEYS.USE PROPER PERSONAL PROTECTION.

===== Physical/Chemical Properties =====

HCC:T6
Boiling Pt:B.P. Text:676F/358C
Melt/Freeze Pt:M.P/F.P Text:-38F
(-39C)
Vapor Pres:0.002
Vapor Density:1.015
Spec Gravity:13.59
Evaporation Rate & Reference:4.0 (BUTYL ACETATE=1)
Solubility in Water:NEGLIGIBLE
Appearance and Odor:SILVER,WHITE METALLIC LIQUID NO ODOR
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
ACETYLENE,AMMONIA,STRONG OXIDIZERS LIKE CHLORINE
Stability Condition to Avoid:EXTREME HEAT,SPARKS,OPEN FLAMES
Hazardous Decomposition Products:EXTREM

E TOXIC FUMES

===== Disposal Considerations =====

Waste Disposal Methods:FOR FINE DROP OF MERCURY IN UNACCESSIBLE SITE(CRACK,ETC;),TREAT WITH CALCIUM POLYSULFIDE & EXCESS SULFUR.KEEP ALL SPILLED OR DISPOSED MERCURY IN A TIGHTLY STOPPERED BOTTLE FOR SALE OR PURIFICATION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.