View NSN Online: https://aerobasegroup.com/nsn/6810-00-281-8799

Product ID:STREEPENE MSDS Date:12/01/1988 FSC:6810 NIIN:00-281-8799 **MSDS Number: BDTDN** === Responsible Party === Company Name: R.R. STREET & COMPANY, INC Address:625 ENTERPRISE DRIVE City:OAK BROOK State:IL ZIP:60521-1917 Country:US Info Phone Num:312-571-4242 Emergency Phone Num:800-228-5635 CAGE:HO065 === Contractor Identification === Company Name: R.R. STREET & CO. INC. CAGE:HO065 Company Name: STREET R R AND CO INC Address:625 ENTERPRISE DRIVE Box:City:OAK BROOK State:IL ZIP:60521-1917 Country:US CAGE:58086

Ingred Name:SODIUM HYDROSULFITE RTECS #:JP2100000 Fraction by Wt: > 90%

Ingred Name:INERT INORGANIC SALTS Fraction by Wt: < 10%

Effects of Overexpo

sure:SKIN IRRITATION. INHALATION OF DUST CAN CAUSE DISCOMFORT.

======================================
First Aid:EYES & SKIN: WASH WITH WATER FOR 15 MIN. CALL PHYSICIAN.
======================================
Extinguishing Media:LG AMOUNTS OF WATER OR SAND. CO*2 FOR SMALL FIRES Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . TOO LITTLE WATER MAY BE WORSE THAN NONE. Unusual Fire/Explosion Hazard:EXOTHERMIC DECOMPOSITION IN PRESENCE OF SMALL AMTS OF WATER. SO*2 IS EVOLVED IN FIRE,WHICH IS IRRIT.
======================================
Spill Release Procedures:RETURN TO ORIGINAL WELL-SEALED CONTAINER IF NO MOISTURE IS INVOLVED.
======================================
Handling and Storage Precautions:STORE AWAY FROM HEAT IN A DRY AREA PROVIDED WITH SPRINKLERS. Other Precautions:USE NIOSH/MSHA APPROVED UNIVERSAL GAS MASK IN CASE OF DECOMPOSITION & GENERATION OF SO*2.
======== Exposure Controls/Personal Protection ====================================
Respiratory Protection:USE NIOSH/MSHA APPROVED DUST MASK. (MFR) Ventilation:LOCAL EXHAUST RECOMMENDED TO AVOID DISCOMFORT. Protective Gloves:NONE Eye Protection:RECOMMENDED Supplemental Safety and Health SOLUBILITY IN WATER: 26G/100 CC.
======================================

HCC:F8 Melt/Freeze Pt:M.P/F.P Text:DECOMPOSES Spec Gravity:SUP

DAT pH:4 Solubility in Water:26 G/100 ML Appearance and Odor:DRY WHITE POWDER, SLIGHT SO*2 ODOR

Stability Indicator/Materials to Avoid:YES SMALL AMOUNTS OF WATER Stability Condition to Avoid:H*20 OR HEAT CAUSE SPONTANEOUS DECOMPOSITION Hazardous Decomposition Products:SULFUR DIOXIDE WHICH IS IRRITATING TO EYES,NOSE & THROAT.

Waste Disposal Methods:MA NUFACTURER RECOMMENDS LANDFILL OR FLUSHING WITH LARGE AMOUNTS OF WATER. DISPOSAL METHOD MUST BE IAW FEDERAL, STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should s eek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.