

MANVILLE INT'L CORP -- CELITE 535 -- 9390-00-282-4161

=====  
Product Identification  
=====

Product ID:CELITE 535

MSDS Date:01/01/1987

FSC:9390

NIIN:00-282-4161

MSDS Number: BDTGK

=== Responsible Party ===

Company Name:MANVILLE INT'L CORP

Emergency Phone Num:303-978-3120

CAGE:KO965

=== Contractor Identification ===

Company Name:MANVILLE INT'L CORP.

CAGE:KO965

Company Name:SCHULLER INTERNATIONAL INC.

Address:Box:5108

City:DENVER

State:CO

ZIP:80217-5108

Country:US

Phone:303-978-4900

CAGE:75165

=====  
Composition/Information on Ingredients  
=====

Ingred Name:FLUX CALCINED DIATOMACEOUS EARTH, CAS# 68855-54-9

RTECS #:VV7309000

Fraction by Wt: 100%

ACGIH TLV:0.08 MG/CUM

=====  
Hazards Identification  
=====

Effects of Overexposure:INHAL:CONGESTION & IRRIT OF THE THROAT,NASAL  
PASSAGE & UPPER RESPIRATORY SYSTEM.SEE SUPP DATA

=====

=====  
First Aid Measures  
=====

First Aid:INHAL:REMOVE TO FRESH AIR.DRINK WATER TO CLEAR THROAT & BLOW NOSE.EYE:FLUSH W/ COPIOUS QUANTITIES OF WATER FOR A MINIMUM OF 15 MINUTES.INGESTION & SKIN ABSORB,CONTACT:N/R.

=====  
Fire Fighting Measures  
=====

Flash Point:NON FLAMMABLE  
Extinguishing Media:N/R(PER MFR)  
Fire Fighting Procedures:NONE(PER MFR)  
Unusual Fire/Explosion Hazard:NONE(PER MFR)

=====  
Accidental Release Measures  
=====

Spill Release Procedures:VACUUM CLEAN SPILLAGE.IF SWEEPING IS NECESSARY USE A DUST SUPPRESSANT.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:REPAIR ALL BROKEN BAGS IMMEDIATELY.  
Other Precautions:N/R(PER MFR)

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:USE NIOSH/MSHA APPRVD RESP FOR PROTECT AGAINST PNEUMOCONIOSIS DUSTS  
Ventilation:ADEQUATE EXHAUST VENTILLATION OR DUST COLLECTION  
Protective Gloves:N/R(PER MFR)  
Eye Protection:N/R(PER MFR)  
Other Protective Equipment:N/R(PER MFR)  
Supplemental Safety and Health  
MSDS PREP:MAR 27,1985.INGEST:NOT HAZARDOUS WHEN INGEST.GENERALLY REGARDED AS SAFE BY THE FDA.EYE:IRRITATION AND INFLAMMATION.SKIN ABSORPTION & CONTACT:N/R.TLV FOR RESPIRABLE CRISTOBALITE(OSHA)

=====  
Physical/Chemical Properties  
=====

HCC:N1  
Spec Gravity:2.3  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:F

INE WHITE POWDER,NO ODOR  
Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
HYDROFLUORIC ACID  
Stability Condition to Avoid:NONE IN DESIGNED USE  
Hazardous Decomposition Products:NONE DETERMINED(PER MFR)

===== Disposal Considerations =====

Waste Disposal Methods:COMPLY W/ FEDERAL,STATE & LOCAL  
REGULATIONS.METHOD OF DISPOSAL-LANDFILL.WASTES GENERATED DURING  
APPLICA  
TION,DEMOLITION,BREAKAGE OR SPILLAGE ARE NOT HAZARDOUS  
WASTES AS DEFINED BY RCRA.RQ:N/R.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify a  
nd  
assume responsibility for the suitability of this information to their  
particular situation.