View NSN Online: https://aerobasegroup.com/nsn/9160-00-285-2045 EASTERN MOHAIR &TRADING CO., INC (OF DILCO REFIN DI -- PARAFFIN WAX-FULLY REFINED --9160-00-285-2045 Product ID:PARAFFIN WAX-FULLY REFINED MSDS Date:01/01/1985 FSC:9160 NIIN:00-285-2045 MSDS Number: BDTLY === Responsible Party === Company Name: EASTERN MOHAIR &TRADING CO., INC (OF DILCO REFIN DI Emergency Phone Num:(212)458-0400 CAGE:LO156 === Contractor Identific ation === Company Name: EASTERN MOHAIR &TRADING CO., INC (OF DILCO REFIN DI CAGE:LO156 Company Name: EASTERN MOHAIR TRADING Address:73-35 GRAND AVE Box:City:MASPETH State:NY ZIP:11378-1523 Country:US Phone:718-458-0400 CAGE:12751 ======= Composition/Information on Ingredients ======== Ingred Name: PARAFFIN WAX CAS:8002-74-2 RTECS #:RV0350000 Fraction by Wt: UNK OSHA PEL:2 MG/M3 (FUME) ACGIH TLV:2 MG/M3 (FUME); 9192

============ Hazards Identification =========================

Effects of Overexposure: NONE SPECIFIED BY THE MFR. HOWEVER AVOID SKIN AND EYE CONTACT IN FORM OF FUMES

First Aid: USE NORMAL FIRST AID PROCEDURES IF NEEDED. THE SUBSTANCE IS NON HAZARDOUS AS SPECIFIED BY THE MFR.

============ Fire Fighting Measures =========================

Flash Point: 425F MIN, ASTMD92

Lower Limits:UNKN **Upper Limits:UNKN**

Extinguishing Media:CO*2,DRY CHEMICAL,FOAM

Fire Fighting Procedures: NONE

U

Spill Release Procedures:SCRAPE UP LARGE SPILLS AND COLLECT INTO DRUM OR CLOSED CONTAINER.USE PETROLEUM SOLVENT FOR CLEAN UP. ===================================
OR CLOSED CONTAINER.USE PETROLEUM SOLVENT FOR CLEAN UP. ===================================
Handling and Storage Precautions:STORE AWAY FROM EXCESSIVE HEAT Other Precautions:NORMAL PRECAUTIONS FOR HANDLING.AVOID SKIN CONTACT. ========= Exposure Controls/Personal Protection ======= Respiratory Protection:NO SPECIAL REQMNTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT. Ventilation:NORMAL ROOM VENTILATION. Protective Gloves:AS REQUIRED Eye Protection:SAFETY GLASSES Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.
Other Precautions:NORMAL PRECAUTIONS FOR HANDLING.AVOID SKIN CONTACT. ========= Exposure Controls/Personal Protection ======= Respiratory Protection:NO SPECIAL REQMNTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT. Ventilation:NORMAL ROOM VENTILATION. Protective Gloves:AS REQUIRED Eye Protection:SAFETY GLASSES Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.
Respiratory Protection:NO SPECIAL REQMNTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT. Ventilation:NORMAL ROOM VENTILATION. Protective Gloves:AS REQUIRED Eye Protection:SAFETY GLASSES Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.
CONDITIONS/ADEQUATE VENT. Ventilation:NORMAL ROOM VENTILATION. Protective Gloves:AS REQUIRED Eye Protection:SAFETY GLASSES Other Protective Equipment:AS REQUIRED TO PREVENT PROLONGED CONTACT.
Supplemental Safety and Health MSDS IS UNDATED.
========== Physical/Chemical Properties ===========
HCC:N1 Vapor Pres:UNK Vapor Density:UNKN Spec Gravity:0.92 Solubility in Water:INSOLUBLE Appearance and Odor:WHITE SOLID WAX-NO ODOR Percent Volatiles by Volume:UNKN
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES AVOID OPEN FLAME OR EXCESSIVE HEAT. Stability Condition to Avoid:NONE SPECIFIED BY THE MFR. Hazardous Decomposition Products:NONE
======== Disposal Considerations ============
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by

the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.