View NSN Online: https://aerobasegroup.com/nsn/6850-00-285-6056

## OCTAGON PROCESS, INC. -- CLEANING COMPOUND, GREASE EMULSIFIER -- 6850-00-285-6056

Product ID:CLEANING COMPOUND, GREASE EMULSIFIER

MSDS Date:01/01/1985

FSC:6850

NIIN:00-285-6056

MSDS Number: BDTRH === Responsible Party ===

Company Name: OCTAGON PROCESS, INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105 Country:US

Info Phone Num:201-945-9400

Emergenc

y Phone Num:201-945-9400

CAGE:DO973

=== Contractor Identification ===

Company Name: OCTAGON PROCESS INC.

Address:596 RIVER ROAD Box:City:EDGEWATER

State:NJ ZIP:07020 Country:US

Phone:201-945-9400

CAGE:82925

Company Name: OCTAGON PROCESS, INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105 Country:US

Phone:201-945-9400

CAGE:DO973

====== Composition/Information on Ingredients ========

Ingred Name:FUEL OIL (TYPE NOT SPECIFIED)

Fraction by Wt: UNK

Ingred Name: CRESOL, ALL

ISOMERS (CRESYLIC ACID) (SARA III) CAS:1319-77-3 RTECS #:GO5950000 Fraction by Wt: UNK OSHA PEL:S, 5 PPM ACGIH TLV:S, 5 PPM; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS
Ingred Name:ALCOHOL (TYPE NOT SPECIFIED) Fraction by Wt: UNK
Ingred Name:DETERGENT Fraction by Wt: UNK
======================================
First Aid:WASH OFF AFFECTED AREAS WITH COPIOUS AMOUNTS OF WATER. IN CASE OF CONTACT WITH EYES, WASH WITH WATER, GET MEDICAL ATTENTION.
======= Fire Fighting Measures ====================================
Flash Point:140F CC Extinguishing Media:WATER Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ==========
Spill Release Procedures:FLUSH WITH PLENTY OF WATER & PUT INTO APPROVED STORAGE CONTAINERS.
======================================
Handling and Storage Precautions:PROTECT CONTAINERS FROM PHYSICAL DAMAGE. STORE IN COOL, DRY AREA. WEAR SAFETY GOGGLES, RUBBER GLOVES, APRONS, BOOTS. STORE AWAY FROM ANY FIRE HAZARDS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE Ventilation:AS REQUIRED TO CONTROL MIST IN AIR. Protective Gloves:RUBBER Eye Protection:SAFETY GOGGLES Supplemental Safety and Health ITEM IS TYPE II OF FEDERAL SPECIFICATION P-C-444.
======== Physical/Chemical Properties =========
HCC:V4 Spec Gravity:0.98 Solubility in Water:COM

Appearance and Odor:DARK LIQUID- SLIGHT PHENOL ODOR.  Percent Volatiles by Volume:-10
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES
======= Disposal Considerations ==========
Waste Disposal Methods:SPRAY INTO AN INCINERATOR UNDER APPROVED

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

CONTROLLED PROCEDURES.

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.