View NSN Online: https://aerobasegroup.com/nsn/6850-00-285-9432

## 

Product ID:WETTING AGENT

MSDS Date:01/01/1991

FSC:6850

NIIN:00-285-9432

MSDS Number: BDTST === Responsible Party ===

Company Name: CHEMICAL COMMODITIES AGENCY

Address:27447 PACIFIC STREET

City:HIGHLAND

State:CA

ZIP:92346-2640 Country:US

Info Phone Num:714-864-2310

Emergency Phone Num:714-864-2310

Pr

eparer's Name: C. A. EISENHARD

CAGE:60777

=== Contractor Identification ===

Company Name: AMCO CHEMICAL CORP

Address:3RD - CYPRS

Box:208

City:OAKLAND

State:CA ZIP:94607 Country:US

Phone: NOT IN BUSINESS! 911008P505A ???

CAGE:97984

Company Name: CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640 Country:US

Phone:909-864-2310

CAGE:60777

======= Composition/Information on Ingredients ========

Ingred Name: ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 75%
Other REC Limits:NONE SPECIFIED
OSHA PEL:400 PPM/500 STEL
ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:DIOCTYL SODIUM SULFOSUCCINATE
CAS:577-11-7
RTECS #:WN0525000

Other REC Limits: NONE SPECIFIED

=========== Hazards Identification ==========================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: INHALATION MAY CAUSE IRRITATION

TO THE NOSE AND THROAT. CONTACT WITH SKIN MAY CAUSE DRYNESS. CONTACT WITH EYES MAY CAUSE IRRITATION. INGESTION MAY CAUSE NAUSEA, VOMITING.

Explanation of Carcinogenicity: NONE OF THE INGREDIENTS IN THIS PRODUCT ARE LISTED BY NTP, IARC, OR OSHA AS A CARCINOGEN.

Effects of Overexposure:EYES: IRRITATION. SKIN: DRYNESS. INHALATION: IRRITATION OF NOSE AND THROAT. INGESTION: NAUSEA, VOMITING. Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS.

======

Fraction by Wt: 25%

========= First Aid Measures ==============

First Aid:INHALATION: REMOVE TO FRESH AIR. CALL A PHYSICIAN. EYES: FLUSH WITH LARGE AMOUNTS OF WATER. SEEK MEDICAL ATTENTION. SKIN: WASH AREA WITH SOAP AND WATER. WASH CLOTHING BEFORE REUSE. IF IRRITATION PERSI STS CALL A PHYSICIAN. INGESTION: INDUCEVOMITING, PREVENT ASPIRATION, AND GET MEDICAL ATTENTION.

============ Fire Fighting Measures =========================

Flash Point Method:SCC Flash Point:=28.9C,

84.F Lower Limits:2.0 Upper Limits:12.0
Extinguishing Media:CARBON DIOXIDE, WATER, SAND, POWDER, HALONS, ALCOHOL FOAM Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND
FULL FACE-PIECE SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF. Unusual Fire/Explosion Hazard:DISTANT IGNITION IS POSSIBLE. VAPOR-AIR MIXTURES ARE EXLOSIVE. VIOLENT REACTION WITH HYDROGEN AND PALLADIUM
========== Accidental Release Meas ures ====================================
Spill Release Procedures:EXTINGUISH ALL IGNITION SOURCES. MAKE SURE ALL HANDLING EQUIPMENT IS GROUNDED. MOP OR WIPE UP AND PLACE IN DOT CONTAINERS.
=========== Handling and Storage =============
Handling and Storage Precautions:STORE IN A COOL, DRY, WELL-VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE, HEAT, IGNITION SOURCES, AND INCOMPATIBLE MATERIALS. KEEP CONTAINERS CLOSED. Other Precautions:USE ONLY NON-SPARKING TOOLS. DO NOT USE PRESSURE TO
EMPTY CONTAINERS. GASES AND MISTS ARE SUBJECT TO PROPER DISPOSAL, EVEN IF CONTAINERS ARE EMPTY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS. Ventilation:LOCAL EXHAUST Protective Gloves:RUBBER
Eye Protection:SAFETY GOGGLES
Other Protective Equipment:FACE SHIELD, COVERALLS, AND MULTIPURPOSE GAS MASK. EYE BATH AND SAFETY SHOWER.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. Supplem
ental Safety and Health
======================================
HCC:F3 Boiling Pt:=93.3C, 200.F Vapor Pres:31 Spec Gravity:1.0
Evaporation Rate & Dr. Reference: 1.8, BUTYL ACETATE
Solubility in Water:COMPLETE Appearance and Odor:CLEAR LIQUID, ALCOHOL-LIKE ODOR Percent Volatiles by Volume:75.0
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:VES

Stability Indicator/Materials to Avoid:YES OXIDIZING AGENTS, HYDROGEN, PALLADIUM, TRINITROMETHANE Stabilit

y Condition to Avoid:HIGH HEAT, OPEN FLAMES, AND OTHER SOURCES OF IGNITION.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

======= Disposal Considerations ===========

Waste Disposal Methods:DISCARD ANY PRODUCT (INCLUDING ANY RETAINED MATERIALS OF USE), DISPOSABLE CONTAINER, OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER, IN FULL COMPLIANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.