

AMERICAN WRITING INK CO. INC. -- PARACHUTE INK-STRATA BLUE -- 7510-00-286-5362

=====
Product Identification
=====

Product ID:PARACHUTE INK-STRATA BLUE
MSDS Date:01/01/1985
FSC:7510
NIIN:00-286-5362
MSDS Number: BDTVS
=== Responsible Party ===
Company Name:AMERICAN WRITING INK CO. INC.
Address:33 ENDICOTT STREET
City:NORWOOD
State:MA
ZIP:02062
Country:US
Info Phone Num:617-762-0026
Emergency Phone
Num:617-762-0026
CAGE:82956
=== Contractor Identification ===
Company Name:AMERICAN INK AND OIL CORP
Address:33 ENDICOTT STREET
Box:City:NORWOOD
State:MA
ZIP:02062-3006
Country:US
Phone:781-762-0026 / FAX: 781-762-1617
CAGE:82956

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL AMYL ALCOHOL
RTECS #:PG8050000
Fraction by Wt: 25%

=====
Hazards Identification
=====

Effects of Overexposure:BREATHING OF VAPOR CANNOT BE TOLE

RATED

F/LONG.CHRONIC OVEREXPOS:DERMATITIS & SKIN DRYNESS

=====
First Aid Measures
=====

First Aid:CALL DOCTOR IF DISCOMFORT:PERSISTS.FLUSH EYES W/PLENTY OF WATER.WASH SKIN AREAS W/SOAP & WATER.INHAL:REMOVE TO FRESH AIR.INGESTION:INDUCE VOMITING.GET ME

=====
Fire Fighting Measures
=====

Flash Point:106 F CC 41 C

Extinguishing Media:CARBON DIOXIDE OR DRY CHEM FOR/SM FIRES;ALCOH FOAM F/LG FIRE

Fire Fighting

Procedures:USE WATER SPRAY TO COOL FIRE-EXPOS SURFACES & TO PROTEC PER

Unusual Fire/Explosion Hazard:WEAR SUITABLE EYE PROTECTION TO PREVNT EYE CONTACT.USE AIR-SUPPLIED MASK TO PREVNT BREATHNG OF VAPOR

=====
Accidental Release Measures
=====

Spill Release Procedures:CONTAIN SPILLED LIQUID W/SAND & EARTH.DO NOT ALLOW TO ENTER WATERCOURSES.FLUSH AWAY W/WATER & RECOVER BY PUMPING; SMALL QUANTITIES, MAY BE WIPED UP W/RAGS.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL, DRY AREA, OUT OF DIRECT SUNLIGHT.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT NEC. W/PROPER VENITILATION

Ventilation:PROVIDE VENTILATION EQUAL TO OUTDOORS.

Protective Gloves:GAUNLET TYP-IF

Eye Protection:SPLASH GOGGLES/EYE BATH

Other Protective Equipment:NOT NECESSARY

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

=====

HCC:F4

Boiling Pt:B.P. Text:268 F 131 C

Vapor Pres:3.5

Vapor Density:3.5

Spec Gravity:0.9311

Evaporation Rate & Reference: BUTYL ACET .33

Solubility in Water:1.7 G/100G

Appearance and Odor:BLUE MOBILE LIQUID;MILD NON-RESIDUAL ODOR

Percent Volatiles by Volume:100%

===== Stability and Reactivity Data =====

Stability Condition to Avoid:HEAT,SPARKS & OPEN FLAMES

Hazardous Decomposition Products:NO

===== Disposal Considerations =====

=====

Waste Disposal Methods:INCINERATE IN FURNACE OR RETURN TO
SUPPLIER.RECOVER SOLVENTS W/ATORIZER.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional
advice to verify and
assume responsibility for the suitability of this information to their
particular situation.