

MFG CHEMISTS ASSOCIATION (FOREMOST-MCKESSON INC) --
O-A-455B,AMMONIA,ANHYDROUS(COMPRESSED) -- 6830-00-292-0135

=====
Product Identification
=====

Product ID:O-A-455B,AMMONIA,ANHYDROUS(COMPRESSED)

MSDS Date:01/01/1985

FSC:6830

NIIN:00-292-0135

MSDS Number: BDVNT

=== Responsible Party ===

Company Name:MFG CHEMISTS ASSOCIATION (FOREMOST-MCKESSON INC)

CAGE:LO206

=== Contractor Identification ===

Comp

any Name:MANUFACTURING CHEMISTS ASSN

Address:1825 CONNECTICUT AVE NW

Box:City:WASHINGTON

State:DC

ZIP:20009-5708

Country:US

CAGE:5E825

Company Name:MFG CHEMISTS ASSOCIATION (FOREMOST-MCKESSON INC)

CAGE:LO206

=====
Composition/Information on Ingredients
=====

Ingred Name:AMMONIA (SARA III)

CAS:7664-41-7

RTECS #:BO0875000

Fraction by Wt: 99.5%

OSHA PEL:50 PPM

ACGIH TLV:25 PPM/35 STEL; 9293

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

=====
Hazards Identification =
=====

Effects of Overexposure:STRONG SKIN,EYE & RESPIRATORY TRACT

IRRITANT,EDEMA OF RESPIRATORY TRACT,FIT OF THE GLOTTIS,SUFFOCATE

=====
First Aid Measures
=====

First Aid:INHALATION:REMOVE VICTIM TO FRESH AIR,GIVE CPR IF NEEDED.

OXYGEN MAY BE NECESSARY.OBSERVE FOR LARYGEAL SPASM & PERFORM TRACHEOSTOMY IF INDICATED.SKIN OR EYES:FLOOD IMMEDIATELY WITH WATER FOR 15 MINS. TREAT AT SUBSEQUENTYL AS THERMAL BURN.

=====

===== Fire Fighting Measures =====

Autoignition Temp:Autoignition Temp Text:1204F

Lower Limits:16.0

Upper Limits:25.0

Extinguishing Media:H*2O TO KEEP FIRE-EXPOSED CONTAINERS COOL & PROTECT PEOPLE.

Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS,GOGGLES

Unusual Fire/Explosion Hazard:POSSIBLE EXPLOSION BY HEATING,REACTS VIOLENTLY W/ACIDS, ATTACKS CU,AL,ZN & THEIR ALLOYS,REACTS W/OXD

===== Accidental Release Measures =====

S

Spill Release Procedures:EVACUATE DANGER AREA,CONSULT AN EXPERT,NEVER PLAY WATER SET ON LIQUID,COMBAT GAS CLOUDS WITH WATER CURTAIN,REMOVE CYLINDER TO SAFE PLACE,USE SELF-CONTAINED BREATHING APPARATUS.NEUTRALIZE W/HCL.WIPE W/ MOP OR USE WATER ASPIRATOR. DRAIN W/SUFFICIENT H*2

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT. NEVER DROP CYLINDERS.BE SURE CONNECTIONS ARE TIGHT.NEVER REFILL CYLINDERS.HAVE

AIRLINE RESPIRATOR OR SELF-CONTAINED O*2 RESP.AVAIL

Other Precautions:DO NOT BREATHE GAS. DO NOT GET IN EYES,ON SKIN,ON CLOTHING.SEPARATE FROM OXIDIZING GASES,ALL IGNITION SOURCES,CL*2,BR,I,& ACIDS. STORE IN WELL VENTILATED LOCATION PROTECTED FROM DIRECT SUNLIGHT

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS

Ventilation:LOCAL EXHAUST IS PREFERRED

Protective Gloves:RUBBER

Eye Protection:CHEMICAL GOGGLES (GAS TIGHT)

O

Other Protective Equipment:EMERGENCY SHOWER & EYE BATH.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:-28.3F

Vapor Pres:93.

Vapor Density:0.60

Spec Gravity:0.77

Solubility in Water:APPRECIABLE

Appearance and Odor:COLORLESS GAS,SHARP IRRITATING,INTENSE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

HALOGENS,CHLORATES,OXIDIZERS,CL*2,BR,I,ACIDS,C

U,AL,ZN,AGCL

===== Disposal Considerations =====

Waste Disposal Methods:PUT INTO LARGE VESSEL CONTAINING
WATER.NEUTRALIZE WITH HCL.DISCHARGE INTO AN APPROVED DISPOSAL AREA
IAW STATE,FEDERAL,LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this i
nformation to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.