View NSN Online: https://aerobasegroup.com/nsn/8030-00-292-1102

BAKER SEALANTS AND COATINGS COMPANY -- THREAD COMPOUND, ANTISEIZE 8030-00-292-1102

============= Product Identification ==================

Product ID:THREAD COMPOUND, ANTISEIZE

MSDS Date:11/20/1989

FSC:8030

NIIN:00-292-1102

MSDS Number: BDVPK === Responsible Party ===

Company Name: BAKER SEALANTS AND COATINGS COMPANY

Address:234 SUYDAM AVENUE

Box:B

City: JERSEY CITY

State:NJ ZIP:07304 Country:US

Info Phone Num:201-3

33-6986

Emergency Phone Num:201-333-6986 Preparer's Name:MARIO NAVARRO

CAGE:34094

=== Contractor Identification ===

Company Name: BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

======= Composition/Information on Ingredients ========

Ingred Name: ZINC (SARA III)

CAS:7440-66-6

RTECS #:ZG8600000 Fraction by Wt: 58%

OSHA PEL:10 MG ZNO/M3

ACGIH TLV:10 MG ZNO/M3; 9192

EPA Rpt Qty:1000 LBS

DOT Rpt

Ingred Name:PETROLATUM Fraction by Wt: 42% Flash Point Method:CC Flash Point:>390F.>199C Extinguishing Media: EXTING W/CARBON DIOXIDE & DRY CHEM. COVER CNTNR. EXCLUDE WATER &/OR AIR. Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard: THIS COMPOUND CONTAINS ZINC (58%). UNDER CERTAIN CONDITIONS, ZINC MAY IGNITE UPON CONFINEMENT & EXPOSUR E TO WATER OR EXCESSIVE MOISTURE. ======== Accidental Release Measures ============ Spill Release Procedures: CLEAN UP IN NORMAL FASHION ====== Exposure Controls/Personal Protection ======== Supplemental Safety and Health ======== Physical/Chemical Properties ============ HCC:N1 Boiling Pt:B.P. Text:1665F,907C Vapor Pres:0.004 @68F Spec Gravity: 1.41 (H*2O=1) pH:7 Solubility in Water: INSOLUBLE Appearance and Odor:PASTE, GRAYISH; NO ODOR. ======== Stability and Reactivity Data =========== Stability Indicator/Materials to Avoid:YES WATER, EXCESSIVE MOISTURE, ACIDS, ALKALIES AND OXIDIZERS. UPON REACTION WITH WATER, HYDROGEN IS FORMED. Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER. ======= Disposal Considerations ============ Waste Disposal Methods: DISPOSE IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS. Disclaimer (provided with this information by the compiling

Qty:1000 LBS

agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.