View NSN Online: https://aerobasegroup.com/nsn/9150-00-292-9657

ROCKWELL INTERNATIONAL -- ROCKWELL 950 SEALANT(BULK GRADE) -- 9150-00-292-9657

============= Product Identification ========================

Product ID:ROCKWELL 950 SEALANT(BULK GRADE)

MSDS Date:01/01/1987

FSC:9150

NIIN:00-292-9657

MSDS Number: BDVSB === Responsible Party ===

Company Name: ROCKWELL INTERNATIONAL

Emergency Phone Num:412-2473000

CAGE:25203

=== Contractor Identification ===

Company Name: BTR VALVE SEALANTS INC

Address:140 THOMAS RD Box:City:SULPHUR SPRINGS

State:TX ZIP:75482 Country:US

Phone:903-439-6465

CAGE:80318

Company Name: ROCKWELL INTERNATIONAL CORP/FLOW CONTROLS DIV.

Address:400 MAPLE AVE

Box:4627

City:CARPENTERVILLE

State:IL

ZIP:60110-1933 Country:US

Phone:412-247-3000

CAGE:25203

======= Composition/Information on Ingredients ========

Ingred Name:POLYESTER RESIN CAS# N/R 85-90%

Ingred Name:TREATED CLAY CAS#54351-63-2

10-15%

Fraction by Wt: 400F

,>204 COC
Extinguishing Media:DRY CHEMICAL POWDER,CO*2,CHEMICAL FOAM
Fire Fighting Procedures:WEAR SCBA IN CONFINED AREA.TREAT AS BURNING LIQUID.
Unusual Fire/Explosion Hazard:N/K(PER MANUFACTURER)
=========== Accidental Release Measures ==========
Spill Release Procedures:RECOVER FREE MATERIAL.ADD SUITABLE ABSORBANT TO SPILL ARE.CLEAN SPILL AREA W/ DETERGENT SOLUTION.
============= Handling and Storage ==============
Handling and Storage Precaution s:STORE IN SEALED CONTAINERS AWAY FROM HEAT & STRONG OXIDIZERS
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT NEEDED UNDER NORMAL CONDITIONS PER MANUFACTURER. Ventilation:USE ADEQUATE GENERAL OR MECHANICAL VENTILATION.
Protective Gloves: CHEM RESIST. Eye Protection: SAFETY GLASSES Other Protection Fractions and N/P REP MANUE ACTURED.
Other Protective Equipment:N/R PER MANUFACTURER. Supplemental Safety and Health MSDS PREP:85305.CALLED MFR:EMERGENCY NUMBER.SPEC:TYPE III
======================================
sical/Chemical Properties =========
HCC:V6 Vapor Pres:NIL
Spec Gravity:1.1 Evaporation Rate & DECLIOIDE F
Solubility in Water:NEGLIGIBLE Appearance and Odor:TAN,GREASE-LIKE.SLIGHT ODOR Percent Volatiles by Volume:NIL
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDANTS
Hazardous Decomposition Products:CARBON MONOXIDE,CARBON DIOXIDE,ASPHYXIANTS
======= Disposal Considerations

Waste Disposal Methods:DIPSOSE WASTE IN APPROVED LANDFILL OR INCINERATE IN ACCORDANCW W/ ALL FED,STATE,& LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this docum

ent should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.