

OCTAGON PROCESS INC. -- VV-L-825A AM, 2 TYPE II, LUB OIL REFRIDGE -- 9150-00-292-9657

=====
Product Identification
=====

Product ID:VV-L-825A AM, 2 TYPE II, LUB OIL REFRIDGE

MSDS Date:06/07/1989

FSC:9150

NIIN:00-292-9657

MSDS Number: BDVSC

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020-1105

Country:US

Info Phone Num:201-945-940

0

Emergency Phone Num:201-945-9400

Preparer's Name:IRIS CHARMS

CAGE:82925

=== Contractor Identification ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM OIL(TYPE NOT SPECIFIED)

Ingred Name:ADDITIVES MIXTURE(PER SPEC-TYPE NOT SPECIFIED)

=====
Hazards Identification
=====

LD50 LC5

0 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PROLONGED AND REPEATED BREATHING OF
MIST OR VAPORS MAY BE IRRITATING TO MUCUOUS MEMBRANES.
Explanation of Carcinogenicity:PRODUCT CONTAINS NO MATERIALS CURRENTLY
CLASSIFIED AS CARCINOGENIC BY NTP, OSHA OR IARC.
Effects of Overexposure:PROLONGED EXPOSURE TO MIST OR VAPRS MAY CAUSE
COUGHING AND GENERAL IRR
ITATION TO MUCUOUS MEMBRANES.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:IF SPLASHED IN EYES, FLUSH WITH WATER FOR AT LEAST 15
MINUTES. INHALATION: TREAT SYMPTOMATICALLY. ACCIDENTAL INGESTION,
DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:350F,177C
Extinguishing Media:CARBON DIOXIDE, FOAM, ALCOHOL
Fir
e Fighting Procedures:KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER
SPRAY. CONTAIN SPILL. SHUT OFF ALL SOURCES OF IGNITION IF POSSIBLE.
USE AIR-SUPPLIED RESPIRATORS IN CONFINED AREAS.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:DIKE AND CONTAIN SPILL. ABSORB INERT MATERIAL
(SAND, EARTH, ETC) RECOVER FREE LIQUID FOR RE-USE IF POSSIBLE, OR
PLACE IN SUITABLE CONTAINER DISP
OSAL. ABSORBENT MATERIAL SHOULD BE
PLACED IN SUITABLE CO NTAINER FOR DISPOSAL. KEEP OUT OF
SEWERS/WATERWAYS
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE. KEEP
CONTAINER CLOSED WHEN NOT IN USE.
Other Precautions:AVOID PROLONGED OR REPEATED BREATHING OF MISTS OR
VAPORS. DISCARD OIL SOAKED SHOES.

===== Exposure Controls/Personal Protection

=====

Respiratory Protection: AIR SUPPLIED RESPIRATORS FOR CONFINED OR ENCLOSED AREAS.

Ventilation: LOCAL EXHAUST IS RECOMMENDED.

Protective Gloves: OIL IMPERVIOUS GLOVES

Eye Protection: CHEMICAL SPLASH GOGGLES

Other Protective Equipment: EYE WASH FOUNTAIN.

Work Hygienic Practices: WASH HANDS AND FACE AFTER USING. LAUNDER CONTAMINATED CLOTHING BEFORE RE-USE.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

=====

HCC: V6

Boiling Pt: B.P. Text: 575F, 302C

Vapor Pres: NO DATA

Vapor Density: NO DATA

Spec Gravity: 0.97

Solubility in Water: INSOLUBLE

Appearance and Odor: AMBER COLORED LIQUID, CHARACTERISTIC PETROLEUM ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS

Stability Condition to Avoid: OPEN FLAME, SPARKS, STATIC ELECTRICITY

Hazardous Decomposition Products: NONE SPECIFIED BY MANUFACTURER.

===== Disposal C

onsiderations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ENVIRONMENTAL LOCAL, STATE AND FEDERAL REGULATIONS. ADVISE AUTHORITIES IF PRODUCT ENTERS SEWERS OR OTHER WATERCOURSES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and dis

claims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.