

DOW CORNING CORP -- DOW CORNING(R)4 ELECTRICAL INSULATING PASTE -- 6850-00-295-7685
===== Product Identification =====

Product ID:DOW CORNING(R)4 ELECTRICAL INSULATING PASTE

MSDS Date:02/05/1990

FSC:6850

NIIN:00-295-7685

MSDS Number: BDVVX

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48640

Country:US

Info Phone Num:517-4

96-5900

Emergency Phone Num:517-496-5900

Preparer's Name:JACK L. SHENEBERGER

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State

:KY
ZIP:42701-9804
Country:US
Phone:502-737-6757
CAGE:66172

=====
Composition/Information on Ingredients
=====

Ingred Name:NON HAZARDOUS INGREDIENTS
Fraction by Wt: 91%
Other REC Limits:NONE SPECIFIED

Ingred Name:SILICA GEL
CAS:112945-52-5
RTECS #:VV7310000
Fraction by Wt: 9%
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:NO KNOWN ADVE
RSE CHRONIC HEALTH
EFFECTS.

Effects of Overexposure:EYES-POSS TEMP DISCOMFORT. SKIN-MAY CAUSE
SLIGHT IRRITATION AFTER PROLONGED,REPEATED EXPOS. INHAL-POSS SLIGHT
IRRITATION OR PAIN TO EYES OR RESPIRATORY PASSAGES. INGEST-AMTS
TRANSFERRED TO MOUTH BY FINGERS,ETC.,DURING NORMAL OPNS SHOULD NOT
CAUSE INJURY.

Medical Cond Aggravated by Exposure:MAY ENHANCE ALLERGIC REACTION ON
SOME PEOPLE.

=====
First Aid Measures
=====

First Aid:EYES-
FLUSH W/WATER. SKIN-WIPE OFF & FLUSH W/WATER.
INHAL/ORAL-NO PROBLEM

=====
Fire Fighting Measures
=====

Flash Point Method:CC
Flash Point:200F,93C
Extinguishing Media:WATER,WATER FOG,FOAM
Fire Fighting Procedures:USE SLF-CONTND BREATH APPARATUS & PROTECTIVE
CLOTHING.
Unusual Fire/Explosion Hazard:NONE KNOWN

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE PRODUCT & USE ABSORBENT MATL TO TAKE
CARE

