

NASHUA CORPORATION -- FUSER OIL: XEROX FO -- 6850-00-297-3885

=====  
Product Identification  
=====

Product ID:FUSER OIL: XEROX FO

MSDS Date:01/26/1987

FSC:6850

NIIN:00-297-3885

MSDS Number: BDWHB

=== Responsible Party ===

Company Name:NASHUA CORPORATION

Address:44FRANKLIN STREET

City:NASHUA

State:NH

ZIP:03061

Country:US

Info Phone Num:800-258-1370 OR 603-880-5555

Emergency Phone Num:(603) 880-5555

Preparer's Name:R. L. SEVIGNY

CAGE:0EK44

=== Contractor Identification ===

Company Name:NASHUA CORP OFFICE PRODUCTS DIV.

Address:44 FRANKLIN ST

Box:City:NASHUA

State:NH

ZIP:03060

Country:US

Phone:603-880-2323

CAGE:34936

Company Name:NASHUA CORPORATION

Address:44 FRANKLIN STREET

City:NASHUA

State:NH

ZIP:03061

Country:US

Phone:603-880-5555

CAGE:0EK44

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYDIMETHYLSILOXANE

CAS:9016-00-6

RTECS #:TQ2690000

Fraction by W

t: 100.0%  
OSHA PEL:5MG/CUM  
ACGIH TLV:5MG/CUM

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NO KNOWN CHROONIC OR ACUTE HEALTH  
HAZARD WHEN USED AS DIRECTED.  
Explanation of Carcinogenicity:NO DATA AVAILABLE.  
Effects of Overexposure:EYES:MAY CAUSE TEMPORARY DISCOMFORT;  
INGESTION:HAS LAXATIVE EFFECT;SKIN/INHALATION:NONE KNOWN  
Medi  
cal Cond Aggravated by Exposure:NONE KNOWN

===== First Aid Measures =====

First Aid:REMOVE FROM EXPOSURE; WIPE OFF AND WASH SKIN WITH SOAP AND  
WATER; FLUSH EYES FOR 15 MINUTES, WITH LARGE AMOUNTS OF WATER,  
DRINK WATER IF INGESTED AND CALL POISON CONTROL CENTER.

===== Fire Fighting Measures =====

Flash Point Method:OC  
Flash Point:600F/315C  
Extinguishing Media:CO2, FOAM, DRY CHEM & H2O FOG.  
Fire Fighting Procedures  
:SELF-CONTAINED BREATHING APPARATUS, PROTECTIVE  
CLOTHING  
Unusual Fire/Explosion Hazard:NONE KNOWN

===== Accidental Release Measures =====

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT AND CONTROL  
SPILLAGE.  
Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY MFR.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID RUBBING EYES WITH HANDS WHILE  
USING THIS MATERIAL.  
Other Precautions:CLEA

N UP SPILLS COMPLETELY AS RESIDUE IS SLIPPERY.

UPON EYE CONTACT REMOVE AND CLEAN CONTACT LENSES PRIOR TO REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED

Ventilation:NONE REQUIRED

Protective Gloves:NONE REQUIRED WHEN USED AS INTENDED

Eye Protection:USE PROPER PROTECTION - SAFETY GLASSES

Other Protective Equipment:NONE REQUIRED

Work Hygienic Practices:USE GOOD INDUSTRIAL HYGIENE PRACTICE. WASH

AFTER USING THE PRODUCT AND BE

FORE EATING, DRINKING, ETC.

Supplemental Safety and Health

KEY2:KT

===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NONE

Boiling Pt:B.P. Text:>600F/>316C

Vapor Pres: