View NSN Online: https://aerobasegroup.com/nsn/8030-00-312-6128

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PR-1750 CLASS A-1/2, PART A 8030-00-312-6128

============= Product Identification =================

Product ID:PR-1750 CLASS A-1/2, PART A

MSDS Date:12/09/1985

FSC:8030

NIIN:00-312-6128

Kit Part:Y

MSDS Number: BDWQJ === Responsible Party ===

Company Name: PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Count

ry:US

Emergency Phone Num:(818)240-2060

Preparer's Name:D.J.

CAGE:DO563

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

Company Name: PRODUCTS RESEARCH & CHEMICAL

Address: NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA ZIP:91209

Phone:818-240-2060

CAGE:DO563

====== Composition/Information on Ingredients =====

====== Ingred Name: MANGANESE DIOXIDE (AS MANGANESE) CAS:1313-13-9 RTECS #:OP0350000 OSHA PEL:C,5 MG/M3/1 FUME TWA ACGIH TLV:5 MG/M3 DUST/1 FUME Ingred Name: CARBON BLACK CAS:1333-86-4 RTECS #:FF5800000 OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3; 9192 Ingred Name: TALC (CONTAINING NO ASBESTOS) CAS:14807-96-6 RTECS #:WW2710000 OSHA PEL:2 MG/M3 RDUST ACGIH TLV:2 MG/M3 RDUST; 9192 ========== Hazards Identification ===================== Routes of Entry: Inhalation: UNKNOWN Skin: UNKNOWN Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES/SKIN:IRRITATION;INHALATION:NOT SPECIFIED BY MANUFACTURER, BUT POSSIBLE LIGHT HEAD, NAUSEA, HEADACHE, CHEMICAL PNEUMONIA, GIDDINESS, NOSE IRRITATION; INGESTION: WEAKNESS & SLEEPINESS DUE TO MANGANESE POIS ONING. Explanation of Carcinogenicity: CARBON BLACK DEFINED AS CARCINOGEN BY NIOSH WITH NO FURTHER CATEGORIZATION. Effects of Overexposure: SEE HEALTH HAZARDS. Medical Cond Aggravat ed by Exposure: ANY MEDICAL CONDITION AFFECTING SAME ORGANS AS THOSE AFFECTED BY OVEREXPOSURE. First Aid:EYES:FLUSH WITH LUKE WARM WATER FOR 15 MINUTES.IF SYMPTOMS PERSIST, SEE DOCTOR; SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST, SEE DOCTOR; INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, SEE DOCTOR; INGESTION: SEE DOCTOR.

Flash Point:NO

## T FLAMMABLE Extinguishing Media:CO\*2,DRY CHEMICAL,FOAM,WATER

Fire Fighting Procedures: USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard: EXCESSIVE HEAT MAY CAUSE DECOMPOSITION OF MANGANESE DIOXIDE, RESULTING IN OXIDATION & POSSIBLE IGNITION OF HYDROCARBON VEHICLE.

Handling and Storage Precautions:SEE WORK HYGIENIC PRACTICES. Other Precautions:AVOID INGESTION.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE SPECIFIED. NIOSH APPROVED RESPIRATOR IF TLV IS EXCEEDED.

IS EXCEEDED.

Ventilation:GENERAL (MECHANICAL) VENTILATION.

Protective Gloves:SOLVENT RESISTANT GLOVES

Eye Protection: GOGGLES

Work Hygienic Practices: WASH THOROUGHLY AFTE

R HANDLING AND BEFORE SMOKING OR EATING.

Supplemental Safety and Health

USED F6X01 HAZARD CLASS FOR PRODUCTS WITH FLASH POINTS OVER 200F.

MANUFACTURER STATES PRODUCT IS NOT FLAMMABLE, HOWEVER, MANUFACTURER

STATES EXCESSIVE HEAT MAY CAUSE IGNITION OF HYDROCARBON VECHICLE.

KEY1:N1.

======== Physical/Chemical Properties ==========

HCC:F2

Spec Gravity: 1.95

Solubility in Water: NEGLIGIBLE

Appearance and Odor:NOT SPECIFIED Percent Volatiles by Volume:NONE

=====

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTSPRODUCT CONTAINS EASILY OXIDIZABLE MATERIALS.
Stability Condition to Avoid:HEAT,SPARKS,OPEN FLAMES
Hazardous Decomposition Products:OXIDES OF CARBON AND

======= Stability and Reactivity Data =======

NITROGEN, MANGANESE COMPOUNDS.

====== Disposal Considerations ===========

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA REGULATIONS. DISPOSE OF IAW FEDERAL,STATE & LOCAL RE GULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their partic

ular situation.