

CORONADO PAINT COMPANY, INC. -- PAINT, ACRYLIC EMULSION, WHITE #37875 --  
8010-00-419-8541

===== Product Identification =====

Product ID:PAINT, ACRYLIC EMULSION, WHITE #37875

MSDS Date:01/01/1987

FSC:8010

NIIN:00-419-8541

MSDS Number: BDYLL

=== Responsible Party ===

Company Name:CORONADO PAINT COMPANY, INC.

Address:308 OLD COUNTY ROAD

Box:308

City:EDGEWATER

State:FL

ZIP:32032-1812

Info Phone Num:9

04-428-6461

Emergency Phone Num:904-428-6461

CAGE:33200

=== Contractor Identification ===

Company Name:CORONADO PAINT COMPANY, INC.

Address:308 OLD COUNTY ROAD

Box:City:EDGEWATER

State:FL

ZIP:32132-1812

Country:US

Phone:904-428-6461

CAGE:33200

===== Composition/Information on Ingredients =====

Ingred Name:PIGMENT

Fraction by Wt: 37.0%

ACGIH TLV:NO HAZARD

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 43.5%

ACGIH TLV:NO HAZARD

Ingred Name:ACRYLIC RESINS

Fr

action by Wt: 19.5%  
ACGIH TLV:NO HAZARD

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.  
Effects of Overexposure:NONE KNOWN  
Medical Cond Aggravated by Exposure:NONE

=====  
First Aid Measures  
=====

First Aid:INGESTION: INDUCE VOMITING. GET MEDICAL ATTENTION. EYES:  
FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET  
MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Autoignition Temp:Autoignition Temp Text:NONE  
Extinguishing Media:NON-FLAMMABLE  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:MATERIAL MAY SPATTER WHEN TEMPERATURE  
EXCEEDS BOILING POINT (212F)

=====  
Accidental Release Measures  
=====

Spill Release Procedures:FLUSH AWAY WITH WATER OR ABSORB ON APPROPRIATE  
ABSORBANT.  
Neutralizing Agent:NONE

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO NOT FREEZE.  
Other Precautions:NONE

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE NORMALLY REQUIRED  
Ventilation:LOCAL-ONLY TO AVOID EXCESSIVE INHALATION WHEN SPRAYING.  
Protective Gloves:NOT REQUIRED  
Eye Protection:SAFETY GLASSES OR GOGGLES  
Other Protective Equipment:FULL WORK

CLOTHING

Work Hygienic Practices:WASH THOROUGHLY AFTER PAINTING AND BEFORE EATING OR SMOKING.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F, 100C

Decomp Temp:Decomp Text:>212F,>100C

Vapor Pres:16

Vapor Density:0.6

Spec Gravity:1.38

pH:7

Evaporation Rate & Reference:SAME AS WATER

Solubility in Water:COMPLETE

Appearance and Odor:WHITE PAINT

Percent Volatiles by Volume:58.0

===== Stab  
ility and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE LISTED

Stability Condition to Avoid:AVOID FREEZING TEMPERATURES

Hazardous Decomposition Products:NONE LISTED

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the  
Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.