

RESEARCH PRODUCTS CORPORATION -- RP SUPER FILTER COAT AIR FILTER ADHESIVE --
8040-00-444-8752

=====
Product Identification
=====

Product ID:RP SUPER FILTER COAT AIR FILTER ADHESIVE

MSDS Date:01/01/1987

FSC:8040

NIIN:00-444-8752

MSDS Number: BDZBG

=== Responsible Party ===

Company Name:RESEARCH PRODUCTS CORPORATION

Address:1011-15 E WASHINGTON AVE

Box:1467

City:MADISON

State:WI

ZIP:53701

Country:U

S

CAGE:82866

=== Contractor Identification ===

Company Name:RESEARCH PRODUCTS CORP

Address:1015 EAST WASHINGTON AVE

Box:City:MADISON

State:WI

ZIP:53703

Country:US

Phone:608-257-8801

CAGE:82866

=====
Composition/Information on Ingredients
=====

Ingred Name:HEXACHLOROPHENE (SARA III)

CAS:70-30-4

RTECS #:SM0700000

Fraction by Wt: 0.2%

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:SODIUM PROPIONATE

CAS:137-40-6

RTECS #:UF7525000

Fraction by Wt: 0.2%

Ingred Name:INERT ING

REDIENTS (TYPE NOT SPECIFIED)

Fraction by Wt: 99.6%

ACGIH TLV:NOT SPECIFIED

===== Hazards Identification =====

Effects of Overexposure:PER MFR NON-TOXIC,EYES:SLIGHT SMARTING;SKIN:MAY IRRITATE;INHAL:MAY IRRITATE RESPIRATORY TRACT.

===== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES , BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

===== Fire Fighting Measures =====

Flash Point:365F/185C(PRODUC

Lower Limits:NONE

Upper Limits:NONE

Extinguishing Media:FOAM,CO*2,DRY CHEMICAL

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA.

Unusual Fire/Explosion Hazard:NONE NOTED

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;TREAT AS

HYDROCARBON OIL(WATER SOLUBLE);DILUTE WITH WATER AND RECOVER FOR PROPER DISPOSAL;FOR AEROSOL;REMOVE ALL SOURCES OF IGNITION;VENTILATE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AT ROOM TEMPERATURES BETWEEN 60 AND 90F;DO NOT FREEZE OR SUBJECT TO HIGH TEMPERATURES.

Other Precautions:AVOID CONTACT WITH EYES AND SKIN.DO NOT BREATHE VAPORS/MIST;WASH AFTER EACH USE.

===== Exposure Controls/Personal Protection

=====

Respiratory Protection:NO SPECIAL REQMENTS UNDER ORDINARY
CONDITIONS/ADEQUATE VENT.

Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT.

Protective Gloves:TYPE AS REQD

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR
PROLONGED CONTACT.

Supplemental Safety and Health

MSDS DATED:JAN 14,1964.

===== Physical/Chemical Properties =====

Spec Gravity:0.92

Solubility in Water:EMULSIFIES

Appearance

and Odor:ADHESIVE,AEROSOL PRODUCT

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE NOTED.

Stability Condition to Avoid:DO NOT HEAT ABOVE 150C.

Hazardous Decomposition Products:TYPICAL PRODUCTS OF COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF COLLECTED MATERIAL IN ACCORDANCE WITH
LOCAL,STATE AND FEDERAL REGULATIONS;DO NOT INCINERATE OR PUNCTURE.

Disclai

mer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.