

3M COMPANY, INDUSTRIAL SPECIALTIES DIVISION -- SCOTCH-MOUNT 4962(FORMERLY Y-9122) --  
9320-00-449-0809

===== Product Identification =====

Product ID:SCOTCH-MOUNT 4962(FORMERLY Y-9122)

MSDS Date:01/01/1985

FSC:9320

NIIN:00-449-0809

MSDS Number: BDZCD

=== Responsible Party ===

Company Name:3M COMPANY, INDUSTRIAL SPECIALTIES DIVISION

Emergency Phone Num:612-733-1110

CAGE:52152

=== Contractor Identifi  
cation ===

Company Name:MINNESOTA MINING & MFG CO INDUSTRIAL TAPE & SPECIALTIES  
DIV

Address:3M CENTER

Box:City:ST PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:1-800-364-3577

CAGE:52152

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

===== Composition/Information on Ingredients =====

Ingred Name:PRESSURE SENSITIVE ACRYLIC ADHESIVE

Ingred

Name:NEOPRENE (AS FOAM-32 MIL)  
RTECS #:EI9660000

Ingred Name:POLYETHYLENE(AS PLASTIC LINER)SEE SUP DATA  
CAS:9002-88-4  
RTECS #:TQ3325000

Ingred Name:SILICONE COATED PAPER LINER (SEE SUPP DATA)>

=====  
===== Hazards Identification =====

Effects of Overexposure:ACUTE ORAL TOXICITY VERY LOW. SKIN IRRIT OR  
SENSITIZATION NOT EXPECTED.

=====  
===== First Aid Measures =====

First Aid:SKIN & EYE:WASH WITH WATER FOR 15 MINUTES.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:WATER, CO\*2, FOAM & DRY CHEMICAL  
Unusual Fire/Explosion Hazard:WILL GENERATE HCL ON THERMAL  
DECOMPOSITION.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:COLLECT SPILLED MATERIAL

=====  
===== Handling and Storage =====

Other Precautions:AVOID PROLONGED OR REPEATED SKIN CONT ACT. THIS IS A  
TAPE AND NOT NORMALLY CONSIDERED DANGEROUS.

=====  
===== Exposure Controls/Personal Protection =====

Other Protective Equipment:TO AVOID PROLONGED OR REPEATED SKIN CONTACT  
Supplemental Safety and Health  
OLD TRADE NAME:SCOTCH-MOUNT 4-9122, PRODUCT WILL CONTAIN EITHER THE  
POLYETHYLENE PLASTIC LINER OR THE SILICONE COATED PAPER LINER.  
CONTAINER SIZE:2592 IN X 1.5 IN

=====  
===== Physical/Chemical Properties =====

HCC:N1  
Solubility in Water:INSOLUBLE  
Appearance and Odor:BLACK,DOUBLE COATED FOAM TAP

E,SLIGHT AROMATIC ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:HYDROCHLORIC ACID ON THERMAL  
DECOMPOSITION.

===== Disposal Considerations =====

Waste Disposal Methods:MANUFACTURER RECOMMENDS BURINE IN SANITARY  
LANDFILL,DISPOSAL METHODS MUST BE IAW FEDERAL,STATE & LOCA  
REGULATIONS.

Disclaimer (provided with  
this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.