

NASHUA CORP. -- XT-36, TYPE 2,6,10,15 TONER -- 6850-00-457-1521

=====  
Product Identification  
=====

Product ID:XT-36, TYPE 2,6,10,15 TONER

MSDS Date:01/01/1987

FSC:6850

NIIN:00-457-1521

MSDS Number: BDZHD

=== Responsible Party ===

Company Name:NASHUA CORP.

Emergency Phone Num:603-880-5555

CAGE:KO392

=== Contractor Identification ===

Company Name:NASHUA CORP OFFICE PRODUCTS DIV.

Address:44 FRANKLIN

ST

Box:City:NASHUA

State:NH

ZIP:03060

Country:US

Phone:603-880-2323

CAGE:34936

Company Name:NASHUA CORP.

Address:44 FRANKLIN ST

Box:1

City:NASHUA

State:NH

ZIP:03060-2665

Country:US

Phone:800-258-1370

CAGE:KO392

=====  
Composition/Information on Ingredients  
=====

Ingred Name:STYRENE ACRYLIC COPOLYMER(75-85%)

Fraction by Wt: 80%

Ingred Name:ACRYLIC POLYMER(4-8%)

Fraction by Wt: 6%

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

Fraction by Wt: 12.5%

OSHA PEL:3.5 MG/M

=====  
Hazards Identification  
=====

Effects of Overexposure:IRRITATION OF EYES & RESPIRATORY TRACT MAY OCCUR IN HEAVY DUST CONDITIONS.

=====  
First Aid Measures  
=====

First Aid:REMOVE FROM EXPOSURE,WASH SKIN WITH SOAP,FLUSH EYES WITH WATER,DRINK WATER IF INGESTED.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:CO\*2, FOAM, DRY CHEM & H\*2O FOG.

F

Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H\*2O SPRAY TO COOL CONTR.

Unusual Fire/Explosion Hazard:MATERIAL CAN FORM EXPLOSIVE MIXTURES WHEN SUSPENDED IN AIR. ALL IGNITION SOURCES SHOULD BE AVOIDED.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:VACUUM OR SWEEP UP AS WITH ANY NON-TOXIC POWDER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO NOT STORE NEXT TO STRONG OXIDIZERS.

EYE PROTECTION & RESPIRATOR MAY BE REQUIRED FOR BULK HANDLING.

Other Precautions:AVOID EXCESSIVE EXPOSURE TO HEAT.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE

Ventilation:NONE

Protective Gloves:NONE

Eye Protection:NONE

Other Protective Equipment:NONE

Supplemental Safety and Health

MSDS DATED 1-26-87.

=====  
Physical/Chemical Properties  
=====

HCC:N1

Spec Gravity:1

Solubility in Water:INSOLUBLE

Appearance and

Odor:BLACK POWDER,FAINT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:AVOID OPEN FLAME

Hazardous Decomposition Products:TOXIC PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &  
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE  
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaim

er (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.