View NSN Online: https://aerobasegroup.com/nsn/9150-00-458-0075 BULK CHEMICAL DIST. INC. -- VV-L-800A, LUBRICATING OIL, GEN PURPOSE PROSR 9150-00-458-0075 Product ID:VV-L-800A, LUBRICATING OIL, GEN PURPOSE PROSR MSDS Date:01/01/1985 FSC:9150 NIIN:00-458-0075 MSDS Number: BDZHR === Responsible Party === Company Name: BULK CHEMICAL DIST. INC. Emergency Phone Num:(504)362-3232 CAGE:EO174 === Contractor Identification === Company Name: BULK CHEMICAL DIV, MALTER INTERNATIONAL Address:80 FIRST ST City:GRETNA State:LA ZIP:70053 Country:US CAGE:EO174 Company Name: BULK CHEMICALS DISTRIBUTORS, INC Address:80 FIRST STREET City:GRETNA, State:LA ZIP:70053 Country:US Phone:504-362-3232 DISCONNECTED(2-20-92) CAGE:56921 ======= Composition/Information on Ingredients ======== Ingred Name:TRANSFORMER OIL (100 PALE OIL, FOR OIL MIST, 1-10% AND 50 =ALE OIL, FOR OIL MIST, > 60%) Fraction by Wt: 92.0% ACGIH TLV:5MG/CUM(PER MFR Ingred Name: CORROSION INHIBITOR IN GREASE (ALOX2201) Fraction by Wt: 6.0% Ingred Name: THERMO SETTING ACRYLIC (PLSTICIZER Fraction by Wt: 1.0% Ingred Name: FOOD GRADE ANTIOXIDANT Fraction by Wt: 0.5% Ingred Name:LOW FOAMING SURFACTANT, NON-TOXIC\*SEE ADDITIONAL DATA FOR NIOSH 6&7 (OTHER COMPONENTS) Fraction by Wt: 0.5% 

Effects of Overexposure:EYES:CAUSES SEV IRRIT,BLURD VISION;SKIN:REPTD/PROLNGD CONTCT CAUSES MOD IRRI

DATA-
======================================
First Aid:SKIN:WASH W.SOAP & H*20 EYES:FLUSH W. H*20. INGESTED:GIVE 2 GLASSES H*20; INDUCE VOMITING.CALL A PHYSICIAN. INHALE:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. IF UNCONS DO NOT TAKE ANYTHINGBY MOUTH.
======================================
Flash Point:295F -(T.C.C) Lower Limits:UNK Upper Limits: UNK
Extinguishing Media:DRY CHEMICAL OR CARBON DIOXIDE Fire Fighting Procedures:WATER OR FOAM MAY CAUSE FROTHING WHICH CAN BE DANGEROUS. Unusual Fire/Explosion Hazard:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:SM SPILL:ABSORB LIQ ON PAPER,VERMICULITE,COMMERCIAL ABSORBENTS & TRANSFER TO HOOD;LG SPILL:ELIMINATE IGN SOURCES.EVACUATE UNPROTECTED PERSONS.USE PROTECTV EQUIPMNT.STOP LEAK W/O RISK.DIKE AREA OF SPIL L,PUMP LIQ T
O SALVGE TANK.SHOVEL REMAINGINTO CONT
============== Handling and Storage ==============
Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.KEEP CONTAINERS CLOSED. MAINTAIN STANDARD HYGIENE FOR CHEM HANDLING.  Other Precautions:AVOID PROLONGED OR REPEATED SKIN CONTACT;OBSERVE ALL PRECAUTION IN THIS DATA SHEET WHEN HANDLING EMPTY CONTAINERS.
====== Exposure Controls/Personal Protection ========
Respir

TATION; -SEE SUPPL

atory Protection: WEAR SELF CONTAINED BREATING APP W/POSITIVE PRESSURE MODE.

Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.

Protective Gloves:NEOPRENE Eye Protection:SAFETY GLASSES

Other Protective Equipment: IMPERVIOUS CLOTHING & BOOTS.

Supplemental Safety and Health

-OVER-EXPOSURE: DERMATITIS, DEFATTING; INH: MAY CAUSE NASAL/RESP IRRIT, DIZZ, NAUSEA, UNCONCIOUS NSS; ING: CAUSES GI IRRIT, VOMITG, DIARRHEA, MSDS FM MFR UNDATED; PHYSICAL DATA/FLASH PT OF MIXTURE LIQUID.

HCC:V2

Boiling Pt:=293.3C, 560.F

Vapor Pres:5

Vapor Density:>1.0

Spec Gravity: