

AMERICAN OIL & SUPPLY CO -- VV-L-800C (LUBRICATING OIL) -- 9150-00-458-0075

=====  
Product Identification  
=====

Product ID:VV-L-800C (LUBRICATING OIL)

MSDS Date:01/01/1987

FSC:9150

NIIN:00-458-0075

MSDS Number: BDZHW

=== Responsible Party ===

Company Name:AMERICAN OIL & SUPPLY CO

Emergency Phone Num:(201)589-0250

CAGE:DO810

=== Contractor Identification ===

Company Name:AMERICAN OIL & SUPPLY CO

Ad

Address:233 WILSON AVE

City:NEWARK

State:NJ

ZIP:07105

Country:US

Phone:201-589-0250

CAGE:DO810

Company Name:AMERICAN OIL AND SUPPLY CO

Address:239 WILSON AVE

City:NEWARK

State:NJ

ZIP:07105-3824

Country:US

Phone:201-589-0250

CAGE:92895

=====  
Composition/Information on Ingredients  
=====

Ingredient Name:LUBRICATING OIL

Fraction by Wt: 100%

ACGIH TLV:5MG/CUM(MIST)

=====  
Hazards Identification  
=====

Effects of Overexposure:EYE:IRR,RED;SKIN:IRR,DEFAT;I

NH:NASAL

IRR,DIZZ,WEAK,NAUSEA,HEAD,UNCONSC;ING:NAUSEA,VOMIT,DIARR,GI IRR

=====  
===== First Aid Measures =====

First Aid:SKIN:WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER.  
INHALED: REMOVE TO FRESH AIR. REMOVE CONTAMINATED CLOTHING.  
ING:SEEK MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point:275F,135C,COC

Extinguishing Media:CO\*2, FOAM, DRY CHEM & H\*2O FOG.

Fire Fighting Procedures:WEAR SELF-CNT

D BRTHG,APP H\*20 SPRAY TO COOL

CONTR.

Unusual Fire/Explosion Hazard:DO NOT USE DIRECT STREAM OF WTR MATERIAL  
MAY FLOAT AND REIGNITE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITION SOURCES,VENTILATE AREA  
WELL.ABSORB WITH VERMICULITE OR OTHER MATERIALS, SUCH AS  
SAWDUST,RAGS,PAPER & PLACE IN CLOSED CONTAINER. USE NON SPARKING  
TOOLS. WEAR PROPER PROTECTIVE EQUIPMENT DURING CLEAN UP. KEEP PROD  
OUT OF WTRWAYS

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED LOW FIRE  
RISK AREA. PROTECT FROM HEAT,SHOCK,FRICITION. KEEP CONTAINERS  
CLOSED.

Other Precautions:AVOID BREATHING OF MISTS OR SPRAYS.AVOID PROLONGED OR  
REPEATED CONTACT WITH SKIN & PROD.VAPORS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQD.NIOSH APPVD RESP IF TLV IS  
EXCEEDED

Ventilation:LOCA

L EXHAUST TO ELIMINATE MISTS/FUMES/GASES.

Protective Gloves:NEOPRENE

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:WEAR IMPERVIOUS CLOTHING & BOOTS.

Supplemental Safety and Health

MSDS DATED NOV.85/

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:430F,221C

Vapor Pres:6

Spec Gravity:0.89

Evaporation Rate & Reference: