View NSN Online: https://aerobasegroup.com/nsn/5910-00-493-5606

CORNELL DUBILIER ELECTRONICS DIV FED PAC ELEC CO -- KKX204 -- 5910-00-493-5606

Product ID:KKX204

MSDS Date:01/01/1985

FSC:5910

NIIN:00-493-5606

MSDS Number: BFBJX === Responsible Party ===

Company Name: CORNELL DUBILIER ELECTRONICS DIV FED PAC ELEC CO

Address: 1605 E RODNEY FRENCH BLVD

Box:B-967

City:NEW BEDFORD

State:MA

ZIP:02741-9990

Country:US

Emergency Phone N um:508-996-8561

CAGE:09023

=== Contractor Identification ===

Company Name: CORNELL DUBILIER ELEC DIV FED PAC ELEC

Address: ONE INTERCHANGE PLZ

Box:B-967 City:WAYNE

State:NJ ZIP:07470

Country:US

Phone:201-694-8600

CAGE:09023

Company Name: CORNELL-DUBILIER ELECTRONICS

Address:1605 E RODNEY FRENCH BLVD

Box:B-967

City:NEW BEDFORD

State:MA

ZIP:02741-9990 Country:US

Phone:508-996-8561

CAGE:93790

======= Composition/Information on Ingredients ========

Ingred Name: POLYCHLORINATED BIPHENYLS (

RTECS #:TQ1350000 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB
======================================
Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER(SUP DATA)
======================================
First Aid:EYES:FLUSH W/WATER IMMEDIATELY.SKIN:WASH W/SOAP IMMEDIATELY.INHAL:REMOVE TO FRESH AIR,GIVE ART.RESPIR.AS NEEDED.INGEST:GET MEDI CAL ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE VOMITING,BUT DO NOT MAKE UNC ONSCIOUS PERSON VOMIT.
======================================
Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.
======================================
Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD Ventilation:LOCAL EXHAUST Protective Gloves:RUBBER-IMPERV Eye Protection:GOGGLES,FACE SHIELD Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT Supplemental Safety and Health OVEREXPOS:CAN CAUSE FORMATION OF CYSTS,CAUSES STILLBIRTHS.IRRITATES EYES,NOSE THROAT.
========= Physical/Chemical Properties ==========
HCC:Z3 Appearance and Odor:LIGHT STRAW-COLORED LIQUID,AROMATIC ODOR
========= Stabi

PCBS) (SARA III) CAS:1336-36-3

======= Disposal Considerations ==========	
Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITT	ΈD
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or impl	
ied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.	

lity and Reactivity Data ========

STRONG OXIDIZERS