

J.W.HARRIS CO,INC -- 308L ELECTRODE -- 3439-00-511-9704

=====  
Product Identification  
=====

Product ID:308L ELECTRODE

MSDS Date:01/01/1987

FSC:3439

NIIN:00-511-9704

MSDS Number: BFBYF

=== Responsible Party ===

Company Name:J.W.HARRIS CO,INC

Emergency Phone Num:513-891-2000

CAGE:27911

=== Contractor Identification ===

Company Name:J. W. HARRIS CO., INC.

Address:10930 DEERFIELD ROAD

Box:City:CINCINN

ATI

State:OH

ZIP:45242-4110

Country:US

Phone:513-891-2000

CAGE:27911

=====  
Composition/Information on Ingredients  
=====

Ingred Name:IRON OXIDE

CAS:1309-37-1

RTECS #:NO7400000

Fraction by Wt: BAL

OSHA PEL:10 MG/M3 (FE)

ACGIH TLV:5 MG/M3(FE),B2; 9293

Ingred Name:CHROMIUM (SARA III)

CAS:7440-47-3

RTECS #:GB4200000

Fraction by Wt: 20%

OSHA PEL:1 MG/M3

ACGIH TLV:0.5 MG/M3; 9192

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:NICKEL (SARA III)

CAS:7440-02-0

RTECS #:QR5950000

Frac

tion by Wt: 10%  
OSHA PEL:1 MG/M3  
ACGIH TLV:1 MG/M3; 9192

Ingred Name:MANAGANESE(CAS#7439-96-5)(1-2.5%)  
Fraction by Wt: 2%  
ACGIH TLV:5MG/CUM

Ingred Name:MOLYBDENUM  
CAS:7439-98-7  
RTECS #:QA4680000  
Fraction by Wt: 2%  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3; 9293

=====  
===== Hazards Identification =====

Effects of Overexposure:DISCOMFORT.DIZZINESS.NAUSEA,PULMONARY  
IRRITATION.NICKEL & CHROMIUM:POSSIBLE CARCINOGENS.

=====  
===== First Aid Measures =  
=====

First Aid:REMOVE FROM DUST OR FUME EXPOSURE. IF BREATHING HAS  
STOPPED,PERFORM ARTIFICIAL RESPIRATION. SUMMON MEDICAL AID  
IMMEDIATELY.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:NONE  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:WELDING ARC.OPEN FLAME & SPARKS CAN  
IGNITE COMBUSTIBLES.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:NORMAL PROCEDURE.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:NONE

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:FUME RESPIRATOR.  
Ventilation:USE ENOUGH VENTILATION.  
Protective Gloves:YES  
Eye Protection:GOGGLES  
Other Protective Equipment:FACE SHIELD.  
Supplemental Safety and Health  
MSDS DATED 11-85.

=====  
===== Physical/Chemical Properties =====

HCC:N1  
Appearance and Odor:SOLID WIRE OR ROD.

RODS ARE COATED W/FLUX.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

Hazardous Decomposition Products: DIFFICULT TO DETERMINE. VARIES GREATLY.

===== Disposal Considerations =====

Waste Disposal Methods: MFG DID NOT SPECIFY.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.