View NSN Online: https://aerobasegroup.com/nsn/6850-00-512-1097

Product ID:AZEOTROPE:F113 & ETHANOL, P/N 960301-L MSDS Date:01/01/1987 FSC:6850 NIIN:00-512-1097 MSDS Number: BFBYJ === Responsible Party === Company Name: CHEMICAL COMMODITIES AGY, INC (E.I.DUPONT, MFR) Emergency Phone Num:714-864-2310 CAGE:60777 === Contractor Identification === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA III) CAS:76-13-1 RTECS #:KJ4000000 Fraction by Wt: 96% OSHA PEL:1000PPM/1250STEL ACGIH TLV:1000PPM/1250STEL9192 Ozone Depleting Chemical:1

Ingred Name:ETHYL ALCOHOL (ETH ANOL) CAS:64-17-5 RTECS #:KQ6300000 Fraction by Wt: 3.6% OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III) CAS:67-56-1 RTECS #:PC1400000 Fraction by Wt: 0.4% OSHA PEL:S,200PPM/250STEL ACGIH TLV:S,200PPM/250STEL; 93 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Effects of Overexposure:LIGHT HEADEDNESS,GIDDINESS,SHORTNESS OF BREATH,POSSIBLE NARCOSIS,POSS.CARDIAC ARRHYTHMIAS @ HI CONCS

======================================
First Aid:INHALATION:REMOVE TO FRESH AIR, CALL A DR.DO NOT GIVE EPINEPHRINE OR SIMILAR DRUGS.SKIN OR EYE CONTACT:FLUSH W/WATER
======================================
Lower Limits:0.0 Upper Limits:0.0 Extinguishing Media:N/A,NON FLAMMABLE Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures:USE MOP & WATER TO WIPE- UP SPILL,VENTILATE AREA0ESPECIALLY LOW PLACES WHERE HEAVY VAPORS MIGHT COLLECT.REMOVE OPEN FLAMES.
======================================
Handling and Storage Precautions:STORE CONTAINERS IN A CLEAN,DRY,AREA.DO NOT HEAT ABOVE 125F.STORE IN COOL AREA.
======================================
Respiratory Protection:USE AIR MASK IN HIGH CONCENTRATIONS. Ventilation:LOCAL EXHAUST FOR LG AMTS RELEASED,MECH.FOR LOW PLACES Protectiv e Gloves:RUBBER Eye Protection:SAFETY GOGGLES Supplemental Safety and Health UPDATE PER UNDATED NON-OSHA MSDS RECD 8MAY85. DUPONT P/N=96O3O1-1. ALCOHOL INGR AS PER SDA 30 DENATURANT.
======================================
HCC:N1 Boiling Pt:B.P. Text:117.6F Vapor Pres:334 Vapor Density:2.9 Spec Gravity:1.57 Evaporation Rate & amp; Reference:0.3 Solubility in Water:0.02% Appearance and Odor:COLORLESS LIQUID-SLIGHT ETHEREAL ODOR. Percent Volatiles by Volume:100

=

Stability Indicator/Materials to Avoid:YES ALKALI OR ALKALINE EARTH METALS-POWDERED AL,ZN,BERYLLIUM,ETC Stability Condition to Avoid:OPEN FLAMES OR HIGH TEMPERATURES Hazardous Decomposition Products:HYDROCAHLORIC & HYDROFLUORIC ACIDS-POSSIBLE PHOSGENE

Waste Disposal Methods: EVAPORATE OUTDOORS.

Disclaimer (provided with this information by the compiling a gencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.