View NSN Online: https://aerobasegroup.com/nsn/8010-00-516-0022

PALMER PRODUCTS, INC -- PM 1066 -- 5610-00-516-0022

Product ID:PM 1066

MSDS Date:01/01/1985

FSC:5610

NIIN:00-516-0022

Kit Part:Y

MSDS Number: BFCGB === Responsible Party ===

Company Name: PALMER PRODUCTS, INC Address: SKIPCK PIKE AND VALLEY FORGE RD

Box:8

City:WORCESTER

State:PA ZIP:19490 Country:US

Emergency Phone Num:NONE

CAGE:D0933

=== Contractor Identification

===

Company Name: PALMER INTERNATIONAL, INC.

Address:2955 SKIPPACK PIKE

Box:City:WORCESTER

State:PA ZIP:19490 Country:US

Phone:610-584-4241

CAGE:00933

Company Name: PALMER PRODUCTS, INC.

Box:8

CAGE:D0933

======= Composition/Information on Ingredients ========

Ingred Name:FILLERS Fraction by Wt: 60% ACGIH TLV:UNK

Ingred Name:VEHICLE Fraction by Wt: 15% ACGIH TLV:UNK

Ingred Name:SOLVENT Fraction by Wt: 10% ACGIH TLV:100 PPM

Ingred Name:PIGMENTS

Fraction by Wt: 5% ACGIH TLV:UNK

============ Hazards Identification ==============
Effects of Overexposure:INH OF HIGH VAPOR CONC MAY CAUSE NAUSEA. SKIN CONTACT MAY CAUSE IRRITATION.
======================================
First Aid:IF OVERCOME BY VAPOR, REMOVE FROM AREA & CALL PHYSICIAN. WASH CONTAMINATED AREA WITH SOAP & WATER. IN CASE OF EYES, FLUSH WITH PLENTY OF WATER & CONSULT PHYSICIAN.
======================================
Fla sh Point:80F (PMCC) Lower Limits:1 Upper Limits:7 Extinguishing Media:CARBON DIOXIDE OR DRY CHEMICAL. POLYMER FOAM FOR LARGE FIRES Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS
========= Accidental Release Measures ==========
Spill Release Procedures:SOAK UP WITH ABSORBENT MATERIAL & FLUSH AREA WITH WATER.
========== Handling and Storage ============
Handling and Storage Precautions:KEEP AWAY FROM HEAT & OPEN FLAME. AVOI D CONTACT WITH EYES & SKIN. KEEP CONTAINERS CLOSED.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:HYDROCARBON VAPOR CANISTER Ventilation:LOCAL EXHAUST PREFERABLE Protective Gloves:RUBBER Eye Protection:CHEMICAL GOGGLES Other Protective Equipment:SAFETY SHOWER & EYEBATH Supplemental Safety and Health THIS IS PART 1 OF A 2-PART KIT.
========= Physical/Chemical Properties =========
HCC:F2 Boiling Pt:=107.8C, 226.F Vapor Pres:8.9 V

apor Density:3.4
Spec Gravity:1.9
Solubility in Water:NEGLIGIBLE
Appearance and Odor:OPAQUE LIQUID WITH AROMATIC ODOR.
Percent Volatiles by Volume:15
·
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES
STRONG ACIDS, BASES, & AMINES
Stability Condition to Avoid:HEAT & OPEN FLAME
Stability Containent to Avoid in 12741 a Cr 2144 27402
====== Disposal Considerations ==========
Dioposal Considerations
Waste Disposal Methods:INCINERATE IN FURNACE.
Trade Disposa monitorita in 12. a 1. 2 mm of the total

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.