

PALMER PRODUCTS, INC -- PN1066 HARDENER -- 5610-00-519-1852

=====  
Product Identification  
=====

Product ID:PN1066 HARDENER

MSDS Date:01/01/1987

FSC:5610

NIIN:00-519-1852

Kit Part:Y

MSDS Number: BFCJL

=== Responsible Party ===

Company Name:PALMER PRODUCTS, INC

Address:SKIPCK PIKE AND VALLEY FORGE RD

Box:8

City:WORCESTER

State:PA

ZIP:19490

Country:US

CAGE:D0933

=== Contractor Identification ===

Comp

any Name:PALMER INTERNATIONAL, INC.

Address:2955 SKIPPACK PIKE

Box:City:WORCESTER

State:PA

ZIP:19490

Country:US

Phone:610-584-4241

CAGE:00933

Company Name:PALMER PRODUCTS, INC.

Box:8

CAGE:D0933

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POLYAMIDE

Ingred Name:CATALYST

Fraction by Wt: 45%

Ingred Name:SOLVENTS

Fraction by Wt: 55%

ACGIH TLV:100PPM

=====  
Hazards Identification  
=====

Effects of Overexposure:NON-TOXIC,EXCEPT

FOR POSSIBLE IRRITATION OF  
THROAT,EYES WATERING AND NOSE IRRITATION.

===== First Aid Measures =====

First Aid:WASH CONTAMINATED AREA CLEAN,FIRST W/ALCOHOL AND THEN W/SOAP  
AND WATER.INCASE OF CONTACT W/EYES,FLUSH W/PLENTY OF WATER AND  
CONSULT DR.

===== Fire Fighting Measures =====

Flash Point:90 F CC 32 C  
Extinguishing Media:CARBON DIOXIDE OR DRY CHEMICAL  
Fire Fighting Procedures:POLYMER FOAM FOR LARGE FIRES-  
FIREMEN SHOULD  
USE SELF-CONTAIN  
Unusual Fire/Explosion Hazard:SOLVENTS ARE FLAMMABLE

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH HEAVILY WITH WATER, VENTILATE EXTREMELY  
WELL.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP FROM PROLONGED EXPSURE TO HEAT,  
WELL VENTILATED AREA.  
Other Precautions:WASH CLOTHING THOROUGHLY BEFORE USING AGAIN IF  
CONTAMINATED WITH HARDENE  
R.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:GENERALLY NOT REQUIRED IN A WELL VENTILATED  
AREA.  
Ventilation:LOCAL EXHAUST/MECHANICAL  
Protective Gloves:RUBBER GLOVES  
Eye Protection:NONOGOGGLES  
Supplemental Safety and Health  
PART B 225-230 F 107-110 C. KEY1:F4.

===== Physical/Chemical Properties =====

HCC:F4  
Boiling Pt:B.P. Text:225-230F  
Vapor Pres:8-1  
Vapor Density:2.55  
Spec Gravity:0.94  
Evaporation Rate & Re

ference:NOT YET KNOWN

Solubility in Water:NEGLIGIBLE

Appearance and Odor:AMBER LIQUID W/ODOR OF AMMONIA

Percent Volatiles by Volume:58

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:EXTREME HEATING OF CONTAINER,AREA,NOT WELL VENTILATED

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PROD.OXIDES OF CARBON AND NITROGEN

===== Disposal Considerations =====

=

Waste Disposal Methods:INCINERATE IN A FURNACE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.