

ANCHOR CHEMICAL COMPANY -- ANCHORLUBE G-771 -- 9150-00-529-4308

=====  
Product Identification  
=====

Product ID:ANCHORLUBE G-771

MSDS Date:08/05/1991

FSC:9150

NIIN:00-529-4308

MSDS Number: BFCZL

=== Responsible Party ===

Company Name:ANCHOR CHEMICAL COMPANY

Address:777 CANTERBURY RD

City:WESTLAKE

State:OH

ZIP:44145

Country:US

Info Phone Num:216-871-1660

Emergency Phone Num:216-871-1660

CAGE:05975

=

== Contractor Identification ==

Company Name:ANCHOR CHEMICAL CO

Address:777 CANTERBURY RD

Box:City:WESTLAKE

State:OH

ZIP:44145-1418

Country:US

Phone:440-871-1660

CAGE:05975

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TRIETHANOLAMINE

CAS:102-71-6

RTECS #:KL9275000

Fraction by Wt: 3-5%

Ingred Name:TALL OIL SOAP

Fraction by Wt: 20%

Ingred Name:MICA - SILICATES (< 1% CRYSTALLINE SILICA)

CAS:12001-26-2

RTECS #:VV8760000

Fraction by Wt: 10%

OSHA PEL:20 MPPCF

A

CGIH TLV:3 MG/M3 RDUST; 9293

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 3%

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:FORMALDEHYDE (SARA III)

CAS:50-00-0

RTECS #:LP8925000

Fraction by Wt: 0.1%

OSHA PEL:SEE 1910.1048

ACGIH TLV:C 0.3 PPM; A2; 9293

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

===== Hazards Identification =====

Effects of Overexposure:EYES: WILL IRRIT DUE TO SOAP BASE &  
TRACE OF  
FORMALIN.

===== First Aid Measures =====

First Aid:EYES: RINSE W/ COOL WATER FOR 15 MIN.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:NOT APPLICABLE. MEDIA SUITABLE FOR SURROUNDING FIRE

Fire Fighting Procedures:NOT APPLICABLE. USE NIOSH/MSHA APPROVED SCBA &  
FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures ==

=====

Spill Release Procedures:IF POSSIBLE, RETURN MATERIAL TO CONTAINER.  
WASH DOWN AREA W/ DETERGENT WATER TO REMOVE ANY TRACES OF OILY  
FILM.

===== Handling and Storage =====

Handling and Storage Precautions:STORE ABOVE 32F & BELOW 75F. MATERIAL  
WILL FREEZE. VISCOSITY WILL BEGIN TO THIN AT 75F.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MFR RECM NONE.

Protective Gloves:NO

Eye Protectio

n:SAFETY GLASSES

Other Protective Equipment:NONE

Supplemental Safety and Health

CONTAINER SIZE: 8 OZ BOTTLE. INGREDIENTS: TRI SODIUM PHOSPHATE =1%;  
TALLOW =10-15%;RED OIL=5-10%; GREEN PIGMENT = TRACE; VEEGUM =5%;  
WATER= >50%.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:225F;107.2C

Spec Gravity:1.0365 (H\*20=1)

Solubility in Water:DISPERSIBLE

Appearance and Odor:GREEN SEMI-PASTE W/LEMONY ODOR

===== Stability and Reactivity Data

=====

Stability Indicator/Materials to Avoid:YES

NONE

===== Disposal Considerations =====

Waste Disposal Methods:MANUFACTURER STATES NO SPECIAL METHOD  
NEED.DISPOSAL METHOD MUST BE IN ACCORDANCE WITH FEDERAL, STATE &  
LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
exp

ressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.