

SOUTHWEST PETRO-CHEM DIV WITCO CHEMICAL CORP -- SA 827 7092 GREASE --  
9150-00-530-6814

=====  
===== Product Identification =====

Product ID:SA 827 7092 GREASE

MSDS Date:11/13/1990

FSC:9150

NIIN:00-530-6814

MSDS Number: BFDDF

=== Responsible Party ===

Company Name:SOUTHWEST PETRO-CHEM DIV WITCO CHEMICAL CORP

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Emergency Phone Num:91

3-782-5800

Preparer's Name:RAY LAWSON, MGR.TECH.COMP

CAGE:70878

=== Contractor Identification ===

Company Name:EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

=====  
===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM OIL

ACGIH TLV:5MG/CUM(MIST)

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000

Fraction by Wt: 0.35%

OSHA PEL:0.0

5 MG/M3;1910.1025  
ACGIH TLV:0.15 MG/M3;DUST 9192  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingrid Name:THICKENING AGENTS (TYPE NOT KNOWN)

=====  
Hazards Identification  
=====

Effects of Overexposure:EYES:MAY CAUSE IRRIT ON CONTCT;SKIN:PROLONGD  
CONTCT MAY IRRITAT;INGEST:HAMFUL-LEAD POISONG;INH:N/K.

=====  
First Aid Measures  
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;EYES/SKIN:FLUSH W LG AMTS H\*20 FOR 1  
5 MIN;INGEST:RINSE MOUTH;  
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVEREXPOSURE.

=====  
Fire Fighting Measures  
=====

Flash Point Method:CC  
Flash Point:356F/180C  
Extinguishing Media:DRY CHEMICAL, WATER FOG, CARBON DIOXIDE, FOAM, OR  
SAND/EARTH.  
Fire Fighting Procedures:WATER MAY CASUE FROTHING. DENSE SMOKE. FIRE  
FIGHTERS SHOULD WEAR AN APPROVED SELF-CONTAINED BREATHING  
APPARATUS.  
Unusual Fire/Explosion Hazard:  
DENSE SMOKE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:ELIM IGN SOURCES.USE APPROPRIATE PROTECTV  
EQUIPMENTS.TRANSFER BULK OF MATERIAL INTO ANOTHER CONTAINER.ABSORB  
REMAINING RESIDUE WITH PROPER ABSORBENTS.SWEEP UP & DISPOSE AS  
SOLID WASTE IAW LOCAL,STATE & FEDERAL REGULATIONS.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED.AVOID CONTACT  
WITH SKIN,EY

ES & CLOTHING.WASH THOROUGHLY AFTER HANDLING.WASH  
CLOTHES BEFORE REUSE.KEEP AWAY FORM FEED/FOOD PROD.  
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR LEAD OR  
ORGANIC VAPORS/MIST

Ventilation:NORMAL ROOM VENTILATION.

Protective Gloves:RUBBER/PLASTIC

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:NONE KNOWN

Supplemental Safety and Health

NOTE:

MIL. SPEC. REFERENCE MIL-G-18458B (SH)

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>410F/>210C

Spec Gravity:0.936

Solubility in Water:NEGLIGIBLE

Appearance and Odor:OFF WHITE SEMI-SOLID WITH MINERAL OIL ODOR

Percent Volatiles by Volume:UNK

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS;E.G.,HCRO\*4,H\*2O2,BR\*2

Hazardous Decomposition Products:CO,CO\*2,POSS

IBLY OTHER

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &  
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE  
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants

this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.