

THREE M SUPPLY CO -- METHYL CHLOROFORM -- 6810-00-551-1487

=====
===== Product Identification =====

Product ID:METHYL CHLOROFORM

MSDS Date:01/01/1985

FSC:6810

NIIN:00-551-1487

MSDS Number: BFDYV

=== Responsible Party ===

Company Name:THREE M SUPPLY CO

Address:610 DEXTER AVE N

City:SEATTLE

State:WA

ZIP:98109

Country:US

CAGE:LO060

=== Contractor Identification ===

Company Name:SEAPORT CHEMICALS CO

Address

s:610 DEXTER AVE N

Box:City:SEATTLE

State:WA

ZIP:98109

Country:US

CAGE:2E758

Company Name:THREE M SUPPLY COMPANY

Address:1852 JANKE RD

Box:City:NORTHBROOK

State:IL

ZIP:60062-6709

Country:US

CAGE:LO060

=====
===== Composition/Information on Ingredients =====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:350 PPM

ACGIH TLV:350 PPM/450STEL;9394

EPA Rpt Qty:1000 LBS

DOT Rpt

Qty:1000 LBS
Ozone Depleting Chemical:1

===== Hazards Identification =====

Effects of Overexposure:VAPORS HAVE A WEAK ANESTHETIC ACTION.

===== First Aid Measures =====

First Aid:REMOVE PERSON FROM CONTAMINATED AREA. INGESTION: INDUCE VOMITING IF CONSCIOUS. REMOVE CONTAM. CLOTHING & WASH SKIN WITH WARM SOAP & WATER. WASH EYES WITH COPIOUS AMOUNTS OF WATER & CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:CARBON DIOXIDE; DRY CHEMICAL; FOAM
Unusual Fire/Explosion Hazard:COMBUSTION PRODUCTS CONTAIN HYDROGEN CHLORIDE

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SPILL BY MOPPING OR ABSORBING WITH RAGS. PROVIDE ADEQUATE VENTILATION. WET CLOTHING SHOULD BE REMOVED & WASHED WITH SOAP & WATER.

===== Handling and Storage =====

Handling and Storage Precautions:FLOOR LEVEL VENTILATION - VENTS IN TANKS FOR FILLING & BREATHING LOSSES. VENTS FROM INDOOR TANKS SHOULD BE TERMINATED OUTDOORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS;
CANISTER-TYPE GAS MASK.
Ventilation:FLOOR LEVEL VENTILATION
Protective Gloves:PVA/NEOPRENE
Eye Protection:CHEM SAFETY GOGGLES
Supplemental Safety and Health

===== Physical/Chemical Proper

ties =====

HCC:T4

Boiling Pt:B.P. Text:165.2

Vapor Pres:144

Vapor Density:4.55

Spec Gravity:1.336

Evaporation Rate & Reference:2.6 (ETHYL ETHER=1

Solubility in Water:0.415% X WT

Appearance and Odor:CLEAR, WATER-WHITE LIQUID; MILD CHLOROFORM ODOR.

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

RUBBER, PLASTIC

Stability Condition to Avoid:REMOVAL OF STABILIZERS & CONTACT WITH

WA

TER

Hazardous Decomposition Products:TOXIC FUMES

===== Disposal Considerations =====

Waste Disposal Methods:EPA-APPROVED INCINERATION OR CONTACT WASTE
DISPOSAL CONTRACTOR.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims

all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.